



 PRODUCT-DETAILS

Rating Plug RC R800 E1.2..E6.2 (INST)

Rating Plug RC R800 E1.2..E6.2 (INST)



General Information

Extended Product Type:	Rating Plug RC R800 E1.2..E6.2 (INST)
Product ID:	1SDA074293R1
EAN:	8015644782269
Catalog Description:	Rating Plug RC R800 E1.2..E6.2 (INST)
Long Description:	Rating Plug RC R800 E1.2..E6.2 (INST)
Display Name:	Rating Plug RC R800 E1.2..E6.2 (INST)

ABB EcoSolutions

Environmental Product Declaration - EPD: No declaration needed

Material Compliance

REACH Declaration:	9AKK108466A1425
RoHS Declaration:	9AKK108466A1424
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Conflict Minerals Reporting Template (CMRT): 9AKK108467A5658

Toxic Substances Control Act - TSCA: 9AKK108467A8326

Environmental

Environmental Information: 9AKK108467A6707

Ordering

EAN: 8015644782269

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85389099

Dimensions

Product Net Weight: 1 kg

Container Information

Package Level 1 Units: box 1 piece

Package Level 1 EAN: 8015644782269

Additional Information

Product Main Type: Accessories for Emax 2

Product Name: Accessory

Product Type: Accessory

Suitable For: E1.2, E2.2, E4.2, E6.2

Suitable for Product Class: SACE Emax 2

Technical

Configuration Type: Mounted only

Rated Current (I_n): 800 A

Rated Voltage (U_r): 800 V

Standards: IEC

Certificates and Declarations

Data Sheet, Technical Information: 1SDC200023D0204

Declaration of Conformity - CE: 9AKK106713A5546
9AKK106713A5902
9AKK106713A5545
9AKK106713A5544

Instructions and Manuals: 1SDH001000R0510

External Classifications and Standards

ETIM 9: EC002498 - Accessories/spare parts for low-voltage switch technology

ETIM 10: EC002498 - Accessories/spare parts for low-voltage switch technology

Object Classification Code: Q

WEEE Category: 5. Small Equipment (No External Dimension More Than 50 cm)

eClass: V11.1 : 27371392

Categories

Products > Low Voltage Products and Systems > Circuit Breakers > Air Circuit Breakers > Accessories for Emax 2

