

**068Z3403** **Thermostatic expansion valve, TE 2, R404A/R507A**

Temperature range [°C]: -40 - 10, Pressure equalization: Externally equalized

PRODUCT DETAILS

Gross weight	0.318 Kilogram
Net weight	0.293 Kilogram
Volume	0.489 Liter
EAN	5702422114116
Approval	EAC LLC CDC TYSK
Body material	Brass
Capillary tube length [in]	59 in
Capillary tube length [mm]	1500 mm
China RoHS compliance	Yes exceed limitations
Connection material	Brass
Contain batteries	No
Direction	Angleway
Equalization connection type	Flare
Equalization size [in]	1/4 in
EU RoHS compliance	Yes with exemptions
EU RoHS exemption clause	6(a) 6(c)
Flow direction	Bi-flow with orifice 01-05
Flow direction indicator	Embossed 1-way arrow
Fluid Group	2
Identical product	068Z3555
Inlet connection type	Flare
Inlet size [in]	3/8 in
Max. Working Pressure [bar]	34 bar
Max. Working Pressure [psig]	500 psig
Outlet connection type	Flare
Outlet size [in]	1/2 in
Packing format	Multi pack
Parts included	Bulb strap
Parts Program name	T2/TE2
PED category	Art. 4, par. 3
Pressure equalization	Externally equalized
Product accessories	TXV accessories
Product group	Expansion valves
Product Name Description	Thermostatic expansion valve
Quantity per packing format	20 pc
Rated cap. cond. Range N [IMP]	OS=10.8 °F tcond=100 °F

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Product Detail | Thermostatic expansion valve, TE 2, R404A/R507A

PRODUCT DETAILS

	tevap=40 °F tliq=98 °F
Rated cap. cond. Range N [SI]	OS=6K tcond=38 °C tevap=4.4 °C tliq=37 °C
REACH Candidate List substances	Lead (CAS no. 7439-92-1)
Refrigerants	R404A/R507A
SCIP dossier no.	c164ed45- f10d-4d73-9eae-355ccb479f4b
SCIP dossier product name	T2 /TE2 - Thermostatic Expansion Valve
Serviceable	TXV spare parts
Static Superheat (SS) [°C]	4 °C
Static Superheat (SS) [°F]	7.2 °F
Superheat setting	Adjustable
Temperature range [°C] [max]	10 °C
Temperature range [°C] [min]	-40 °C
Temperature range [°F] [max]	50 °F
Temperature range [°F] [min]	-40 °F
Type	TE 2
UA address	UA_2L.png

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

Accessories

**011L1101** [↗](#)**Spare part, TE5-TE55; T 2; PHT; TE 2; PHTQ, Flare nut**

Product Type: Spare part, Used for product: TE5-TE55; T 2; PHT; TE 2; PHTQ, Type designation: Flare nut, Flare nut

**011L1107** [↗](#)**Spare part, T 2; TE 2, Reducer flare nut**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Reducer flare nut, Flare nut

**011L1203** [↗](#)**Spare part, TE 5, Flare nut**

Product Type: Spare part, Used for product: TE 5, Type designation: Flare nut, Flare nut

**011L1207** [↗](#)**Spare part, T 2; TE 2, Reducer flare nut**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Reducer flare nut, Flare nut

For more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories

**011L1235** [🔗](#)**Spare part, T 2; TE 2, Flare nut**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Flare nut, Flare nut

**068U3509** [🔗](#)**TXV accessories, OEM bulb strap 3/8 in I/45**

OEM bulb strap 3/8 in I/45, Packing format: Industrial pack, Quantity per packing format: 45

**068U3510** [🔗](#)**TXV accessories, OEM bulb strap 1/2 in I/45**

OEM bulb strap 1/2 in I/45, Packing format: Industrial pack, Quantity per packing format: 45

**068U3511** [🔗](#)**TXV accessories, OEM bulb strap 5/8 in I/45**

OEM bulb strap 5/8 in I/45, Packing format: Industrial pack, Quantity per packing format: 45

**068U3518** [🔗](#)**TXV accessories, OEM bulb strap 5/16 in I/45**

OEM bulb strap 5/16 in I/45, Packing format: Industrial pack, Quantity per packing format: 45

**011L1135** [🔗](#)**Spare part, T 2; TE 2, Flare nut**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Flare nut, Flare nut

**011L1201** [🔗](#)**Spare part, T 2; TE 5; TE 2, Flare nut**

Product Type: Spare part, Used for product: T 2; TE 5; TE 2, Type designation: Flare nut, Flare nut

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.