



PRODUCT-DETAILS**150M10-A****LUG STR 150MM2 M10 CL A 1HL CU BLK**

General Information

Extended Product Type:	150M10-A
Product ID:	7TAA302010R0033
EAN:	5415022197358
Catalog Description:	LUG STR 150MM2 M10 CL A 1HL CU BLK
Long Description:	Metric Lug, Copper, Electro-Tin Plating Finish, Class A, Cable Size 150mm Squared, Bolt Size M10, Straight, Black, 1 Hole
Display Name:	150M10-A

Ordering

EAN:	5415022197358
UPC:	786209804549
Country of Origin:	Mexico
Selling Unit of Measure:	each

Container Information

Package Level 1 Units:	10 EA
Package Level 1 Width:	114.3 mm 4.5 in
Package Level 1 Height:	76.2 mm 3 in
Package Level 1 Depth / Length:	152.4 mm 6 in
Package Level 2 Units:	100 EA
Package Level 2 Width:	320.548 mm 12.62 in
Package Level 2 Height:	87.122 mm 3.43 in
Package Level 2 Depth / Length:	612.648 mm 24.12 in

Additional Information

Brand / Label:	Spec-Kon
Cable Size:	150 mm ²
Color:	Black
Effective Date:	20131121
Insulation Material:	None
Material:	Copper
Product Name:	"TERMINALS, ELECTRICAL SPLICES"
Product Type:	Metric Standard Barrel
Stud Size:	M10
Voltage Rating:	35 kV

Certificates and Declarations

Declaration of Conformity - CE:	9AKK107492A9834
Data Sheet, Technical Information:	150M10-A

External Classifications and Standards

ETIM 7:	EC001051 - Tube cable lug for copper conductors
ETIM 8:	EC001051 - Tubular cable lug for copper conductors
ETIM 9:	EC001051 - Tubular cable lug for copper conductors
ETIM 10:	EC001051 - Tubular cable lug for copper conductors
UNSPSC:	39121405
IDEA Granular Category Code (IGCC):	4532 >> Cable or wire lug

Material Compliance

RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Information:	False - does not contain substances > 0.1 mass percentage
WEEE Category:	Product Not in WEEE Scope
Conflict Minerals Reporting Template (CMRT):	9AKK108472A2584

Categories

Products > Low Voltage Products and Systems > Installation Products > Wire Management and Connectivity > Compression & Mechanical Connectors > Compression Connectors

