



PRODUCT-DETAILS

S2C-UA 24 AC

S2C-UA 24 AC Undervoltage release



General Information

Extended Product Type:	S2C-UA 24 AC
Product ID:	2CSS200911R0002
EAN:	8012542839804
Catalog Description:	S2C-UA 24 AC Undervoltage release
Long Description:	The S2C-UA 24 AC undervoltage release has the function to protect the load in case of a voltage drop included between 70% and 35% of its rated value. Positive safety (device tripping when the voltage is disconnected) emergency stop by means of a button. Suitable for MCBs S200 series, RCCBs F200 series and RCBOs DS201, DS202C, DS200 series. It can be used with MCBs SN201 series by means of SN201-IH interface module. Rated voltage: 24V a.c.
Display Name:	S2C-UA 24 AC

Technical

Suitable For:	S200 S300P SN201 F200 DS201 DS202C DS200 DS203NC DSE201 M SD200 DS-ARC1 S-ARC1
Suitable for Product Class:	Miniature Circuit Breakers MCBs Residual Current Devices RCDs Residual Current Breakers with Overload Protection RCBo
Number of Switches:	1

Electrical

Rated Voltage (U_r):	24 V
Number of Contacts CO:	0
Number of Contacts NC:	0
Number of Contacts NO:	0

Material Compliance

RoHS Declaration:	9AKK106713A5575
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date:	20220528
REACH Declaration:	9AKK108467A9482
REACH Information:	True - contains substances > 0.1 mass percentage
REACH Date:	20240429
Conflict Minerals Reporting Template (CMRT):	9AKK108468A3363
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B:	Business To Consumer

Environmental

Environmental Information:	document not needed
-----------------------------------	---------------------

Dimensions

Product Net Width:	18 mm
Product Net Height:	85 mm
Product Net Depth / Length:	74 mm
Product Net Weight:	90 g

Ordering

Package Level 1 Units:	box 1 piece
Package Level 1 Gross Weight:	0.1 kg
E-Number (Finland):	3210840
E-Number (Norway):	1630535

Certificates and Declarations

Declaration of Conformity - CE:	9AKK106713A5575
--	-----------------

Installation

Instructions and Manuals:	2CSS490001D0010
----------------------------------	-----------------

External Classifications and Standards

ETIM 9:	EC001286 - Auxiliary device for distribution board devices
ETIM 10:	EC001286 - Auxiliary device for distribution board devices
UNSPSC:	39121010
eClass:	V11.0 : 27143502
IDEA Granular Category Code (IGCC):	4148 >> Under voltage coil
Object Classification Code:	Q

Categories

Products > Low Voltage Products and Systems > Modular DIN Rail Products > ABB VY > Busbars and Accessories ABB VY > Accessories ABB VY

Products > Low Voltage Products and Systems > Modular DIN Rail Products > Miniature Circuit Breakers MCBs > Miniature Circuit Breakers MCBs Accessories > Undervoltage Releases

Products > Low Voltage Products and Systems > Modular DIN Rail Products > Protection Against Arc Faults AFDDs > Protection Against Arc Faults AFDDs Accessories > Accessories for Arc Fault Detection Devices with Integrated Overcurrent and Residual Current Protection - AFDD+RCBO

Products > Low Voltage Products and Systems > Modular DIN Rail Products > Protection Against Arc Faults AFDDs > Protection Against Arc Faults AFDDs Accessories > Accessories for Arc Fault Detection Devices with Integrated Overcurrent Protection - AFDD+MCB

