



 PRODUCT-DETAILS

E2B/MS20003pFHRnew

E2B/MS 2000 3p F HR new



General Information

Extended Product Type:	E2B/MS20003pFHRnew
Product ID:	1SDA058953R1
EAN:	8015644613129
Catalog Description:	E2B/MS 2000 3p F HR new
Long Description:	SACE EMAX C.BREAKER SWITCH-DISCONNECTOR E2B/MS 2000A THREE-POLE FIXED WITH TERMINALES REAR HORIZONTAL NEW
Display Name:	E2B/MS20003pFHRnew

Material Compliance

REACH Declaration:	9AKK108466A1425
RoHS Declaration:	9AKK108466A1424
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT):	Document availability on demand

Environmental

Environmental Information: 9AKK10103A6076

Ordering

EAN: 8015644613129

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85362090

Dimensions

Product Net Width: 296 mm

Product Net Height: 418 mm

Product Net Depth / Length: 302 mm

Product Net Weight: 45 kg

Container Information

Package Level 1 Units: 1 piece

Package Level 1 Width: 515 mm

Package Level 1 Height: 600 mm

Package Level 1 Depth / Length: 515 mm

Package Level 1 Gross Weight: 55 kg

Package Level 1 EAN: 8015644609139

Additional Information

Product Main Type: SACE Emax

Product Name: Switch Disconnecter

Product Type: Switch-disconnector

Version: F

Technical

Current Type: AC

Electrical Durability: 10000 cycle
30 cycles per hour

Mechanical Durability: 25000 cycle
60 cycles per hour

Number of Poles: 3P

Power Loss: 180 W

Rated Current (I_n): 2000 A

Rated Impulse Withstand Voltage (U_{imp}):	12 kV
Rated Insulation Voltage (U_i):	1000 V
Rated Operational Current (I_e):	2000 A
Rated Operational Voltage:	690 V AC 250 V DC
Rated Short-time Withstand Current Low Voltage (I_{cw}):	for 1 s 42 kA for 3 s 42 kA
Rated Uninterrupted Current (I_u):	2000 A
Rated Voltage (U_r):	690 V
Short-Circuit Performance Level:	B
Standards:	IEC
Sub-type:	E2
Terminal Connection Type:	Fixed Circuit-Breakers Rear flat Horizontal

Certificates and Declarations

Data Sheet, Technical Information:	1SDC200006D0209
Declaration of Conformity - CE:	1SDL000165R0014
Instructions and Manuals:	1SDH000460R0002

External Classifications and Standards

Object Classification Code:	Q
UNSPSC:	39120000
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Products > Low Voltage Products and Systems > Circuit Breakers > Air Circuit Breakers > Emax

