



PRODUCT-DETAILS

UPS PowerValue 11T G2 6 kVA S

UPS PowerValue 11T G2 6 kVA S



General Information

Extended Product Type:	UPS PowerValue 11T G2 6 kVA S
Product ID:	4NWP100163R0003
EAN:	7640169261961
Catalog Description:	UPS PowerValue 11T G2 6 kVA S
Long Description:	VFI online double conversion;6000W;0min(long backup);RS232;USB;COM slot
Display Name:	UPS PowerValue 11T G2 6 kVA S

Material Compliance

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	4NWD005611
RoHS Declaration:	4NWD005610
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP:	ff73e76a-e0b0-4958-bf13-e061585d5da1 Switzerland

Simplified SCIP:	d954680f-0b9e-40e1-b2e6-ad831521090b Spain 91da78fb-91f8-4315-a874-047392be34f6 Belgium 6a4e8333-a72c-4bcb-bb45-2c7e31829545 Germany a056c9d8-e2ce-405c-9ac8-5ce2b776b0af France a982014c-a607-4780-87c0-8e53e38cd8fe Hungary 174d5180-3f34-4a0a-b352-8981436bc8ae Croatia 20e96841-4cb6-4255-b6ad-975e116eb6fc Hungary c050e58f-1407-4cbd-b060-5bdb7f373e0a Poland db46aa8e-8bca-4c47-8511-76de1a9a2061 Czechia 5b73809e-bc39-447a-b742-4da37e564820 Netherlands 0f8227f9-b2bd-4a8a-bfa3-f51918278d14 Germany c5cb18b5-a065-4f7b-b22b-97d1fbf8d59a Sweden 7cbcac92-208c-4616-a76a-ef821092ecbe Germany f47b057d-df6d-4d5b-97e4-6a9a7a910f32 Denmark 5ac0ab08-b570-4a08-9d0f-cd5fcd6666ba Estonia e2ada4c2-b8c6-4a82-ae7e-2085efd333ea Finland 491edf45-3857-4398-afbd-4d5376c691c8 Belgium 4add322d-fd88-407b-8b0f-06549630db34 Greece f26883e6-3af1-4973-84e5-0a6e444dac73 Poland a280fdbf-7542-43fb-92d7-7b3521e7aa2a Bulgaria 7620aabf-c99f-4da9-8618-adc213d00788 France 9a87dd7d-3f86-4492-b3a2-e928ee8e51d6 Portugal 81f08e09-12e1-4301-8c89-40932625a9c0 Norway e87c3e1b-4445-4478-91d4-02033440c3cf Germany c8c6e5e5-116f-4229-afbe-97a4cbe8bfc9 Germany 5a349a60-0430-41a5-85fd-25b6470269cd Sweden 92c843af-d612-4e22-8453-052e54c0afe1 Poland
-------------------------	---

Popular Downloads

Data Sheet, Technical Information:	4NWD003884_EN
Instructions and Manuals:	4NWD003884_EN

Environmental

Environmental Information:	No declaration needed
-----------------------------------	-----------------------

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85044000
E-Number (Finland):	8408625
E-Number (Norway):	6609416
E-Number (Sweden):	5257253
Country of Origin:	China

Dimensions

Product Net Width:	225 mm
Product Net Height:	352 mm
Product Net Depth / Length:	452 mm
Product Net Weight:	14.0 kg

Container Information

Package Level 1 Units:	box 1 piece
Package Level 1 Width:	332 mm
Package Level 1 Height:	478 mm
Package Level 1 Depth / Length:	598 mm
Package Level 1 Gross Weight:	15.2 kg
Package Level 1 EAN:	7640169261961

Technical

Apparent Power Output:	6000 V-A
Battery Chemical Composition:	Lead-Acid
Battery Type:	Portable
Communication Interface:	USB, RS-232
Connection Type:	Fixed Connection
Input Voltage (U _{in}):	208 V 220 V 230 V 240 V
Input Voltage Type:	AC
Number of Outputs:	Fixed Connections 1
Number of Phases:	1-phase Primary 1-phase Secondary
Options Provided:	Auto shut down function Potential free switch contact Network-management
Rated Frequency (f):	Primary 50 Hz Primary 60 Hz Secondary 50 Hz Secondary 60 Hz
Rated Output Power:	6000 W

Certificates and Declarations

Declaration of Conformity - CCC:	No certification needed
Declaration of Conformity - CE:	4NWD003869

External Classifications and Standards

ETIM 9:	EC000382 - UPS
ETIM 10:	EC000382 - UPS
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B:	Business To Business

CN8:	85044000
UNSPSC:	39121004
eClass:	V11.1 : 27040690
Object Classification Code:	G

Categories

Products > UPS, Power Conditioning and Power Distribution > UPS > Single-Phase UPS > PowerValue 11 T G2 IEC 230V

