



 PRODUCT-DETAILS

JSD-HD4-311101

JSD-HD4-311101 Safety Control Devices



General Information

Extended Product Type:	JSD-HD4-311101
Product ID:	2TLA920055R0000
EAN:	4013614499791
Catalog Description:	JSD-HD4-311101 Safety Control Devices
Long Description:	<p>The JSD-HD4-311101 is a three-position enabling device without LEDs and two additional buttons, on top and front. The connection is realized via a spiral cable 0,5/2,5m.</p> <p>Please be aware that the internal wiring isn't equivalent to the standard devices. To ensure the right function, please check the data sheet before ordering.</p> <p>Three-position enabling devices are used to allow limited movement of the machine when the operator is in the hazardous area, for example during commissioning, maintenance and troubleshooting.</p>
Display Name:	JSD-HD4-311101

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365019
Product Main Type:	JSHD

Product Name:	Safety Control Devices
Function:	Three-position device used to allow a limited movement of the machine when the operator is in the dangerous area.
Sub-Function:	1 front and 1 top auxiliary buttons
Status Indicator:	No

Popular Downloads

CAD Dimensional Drawing:	2CDC001079B0201
---------------------------------	-----------------

Dimensions

Cable Length:	2.5 m
Product Net Depth / Length:	34 mm
Product Net Height:	202 mm
Product Net Width:	58 mm
Product Net Weight:	0.44 kg

Safety Information

Performance Level (PL):	Up to e
B10d Value:	Operations to Bottom Position 968 000 Operations to Middle Position 2 million

Technical

Communication Interface:	Contacts
Connection Configuration:	Spiral Cable Field side: free end
Maximum Switching Current:	Main Circuit 20 mA
Maximum Switching Voltage:	Main Circuit 30 V
Number of Contacts NO:	4
Rated Operational Current DC-12 (I_e):	(24 V) 0.02 A
Rated Operational Voltage:	24 V DC

Environmental

Ambient Air Temperature:	Operation -10 ... +50 °C
Degree of Protection:	IP65
Material:	Rubber: NBR Handle: Polyamid and Nory

Material Compliance

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	2CMT2022-006480
RoHS Declaration:	2CMT2022-006499
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA:	2CMT2023-006522
WEEE B2C / B2B:	Business To Business
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)

Container Information

Package Level 1 Units:	carton 1 piece
Package Level 1 Width:	99 mm
Package Level 1 Depth / Length:	255 mm
Package Level 1 Height:	200 mm
Package Level 1 Gross Weight:	0.64 kg
Package Level 1 EAN:	4013614499791

External Classifications and Standards

eClass:	V11.0 : 27371238
ETIM 7:	EC002571 - Agreement switch
ETIM 8:	EC002571 - Agreement switch
ETIM 9:	EC002571 - Agreement switch

Categories

Products > Low Voltage Products and Systems > Control Products > Safety Products > Safety Control Devices > JSKD

