





SWITCH DISCONNECTOR 3VA1 IEC FRAME 250 4-POLE SD100,  
IN=250A WITHOUT OVERLOAD PROTECTION WITHOUT SHORT  
CIRCUIT PROT. BUSBAR CONNECTION UNIVERSAL RELEASE  
24 V DC 2 AUXILIARY SWITCH



## Certificates

General Product Approval	EMC	Declaration of Conformity	Test Certificates	other
 CCC	 EAC	 RCM	 EG-Konf.	<a href="#">sonstig</a> <a href="#">sonstig</a>

## Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3VA1225-1AA42-0LC0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/3VA1225-1AA42-0LC0/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA1225-1AA42-0LC0](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA1225-1AA42-0LC0)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



**last modified:**

11/01/2016