


Door-coupling rotary operating mechanism for circuit breaker Size S00/S0 Handle emergency switching-off new design



General technical data		
Product brand name		SIRIUS
Product designation		door-coupling rotary operating mechanism for heavy-duty operating conditions
Size of the circuit-breaker		S0
Design of the product		EMERGENCY OFF door-coupling rotary operating mechanism
Suitability for use		circuit-breakers S0
Protection class IP on the front		IP65
Ambient temperature		
• during storage	°C	-50 ... +80
• during operation	°C	-20 ... +70
Operating frequency maximum	1/h	15
Color of the actuating element		red / yellow

Installation/ mounting/ dimensions		
Mounting position		any
Mounting type		screw fixing
Width	mm	75
Height	mm	75

Depth	mm	78
Length	mm	300
Diameter	mm	40
<b>Required spacing for grounded parts</b>		
• forwards	mm	0
• Backwards	mm	0
• upwards	mm	0
• at the side	mm	0
• downwards	mm	0

### Certificates/ approvals

Certificate of suitability

CE / UL / CSA

General Product Approval	Test Certificates	Shipping Approval	other
--------------------------	-------------------	-------------------	-------



CSA



UL



[Type Test Certificates/Test Report](#)



ABS

[Confirmation](#)

other



VDE

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/ic10>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RV2926-2C>

**Cax online generator**



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RV2926-2C>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RV2926-2C>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RV2926-2C&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RV2926-2C&lang=en)



last modified:

03/25/2020