



Inductive proximity sensors  
Cylindrical smooth housing, IH34

IH34-30NUS-KU0



**Model Name** > [IH34-30NUS-KU0](#)  
**Part No.** > [7902134](#)



**At a glance**

- Operating distance up to 30 mm
- IP 67 enclosure rating
- 20... 250 V AC/DC operating voltage
- Plastic housing

**Your benefits**

- Reliable detection of high-speed processes increases machine throughput
- High-visibility indicator LED ensures simple monitoring of the operational state
- High resistance to shock and vibrations increases service life and reduces maintenance and replacement costs



**Features**

Housing:	Cylindrical
Diameter:	34 mm
Sensing range Sn:	30 mm
Assured sensing range Sa:	24.3 mm
Installation type:	Non-flush
Switching frequency::	25 Hz, 50 Hz <sup>1) 2)</sup>
Output function:	NO
Electrical wiring:	AC/DC 2-wire
Enclosure rating:	IP 67 <sup>3)</sup>
Connection type:	Cable, 2-wire, 2 m
Housing:	Standard

<sup>1)</sup> AC <sup>2)</sup> DC <sup>3)</sup> According to EN 60529

**Mechanics/electronics**

Supply voltage:	20 V AC/DC ... 250 V AC/DC
Voltage drop:	≤ 6 V (DC), ≤ 6.5 V (AC)
Hysteresis:	1 % ... 15 %
Temperature drift (% of Sr):	± 10 %
EMC:	According to EN 60947-5-2 As per EN 55011, class B
Output current Ia:	≤ 100 mA (DC), ≤ 250 mA (AC (+80 °C)), ≤ 350 mA (AC (+50 °C))
Output current:	5 mA
Off-state current:	≤ 0.8 mA (DC 24 V), ≤ 1.3 mA (AC 110 V), ≤ 2.5 mA (AC 250 V)

Short-time withstand current:	2.2 A <sup>1)</sup>
Cable material:	PVC
Conductor cross-section:	0.5 mm <sup>2</sup>
Cable diameter:	5.6 mm
Short-circuit protection <sup>2)</sup> :	-
Reverse polarity protection:	-
Shock/vibration:	30 g, 11 ms/10 ... 55 Hz, 1 mm
Ambient operating temperature:	-25 °C ... 80 °C
Housing material:	Plastic
Housing cap material:	Plastic, PBT
Housing length:	82 mm

<sup>1)</sup> 20 ms/0.5 Hz <sup>2)</sup> Miniature fuse as per IEC 60217-2 Sheet 1, ≤ 2 A (quick-blow)

### Reduction factors

---


Note:	The values are reference values which may vary
Stainless steel (V2A, 304):	Ca. 0.7
Copper (Cu):	Ca. 0.2
Aluminum (Al):	Ca. 0.3
Brass (Br):	Ca. 0.4

### Installation note


---

A:	34 mm
B:	68 mm
C:	34 mm
D:	90 mm
E:	60 mm
F:	240 mm
Remark:	Associated graphic see "Installation"

## Installation note non-flush installation




## Dimensional drawing




All dimensions in mm (inch)

Connection diagram



Connection type



**Australia**

Phone +61 3 9457 0600  
1800 334 802 – tollfree  
E-Mail sales@sick.com.au

**Belgium/Luxembourg**

Phone +32 (0)2 466 55 66  
E-Mail info@sick.be

**Brasil**

Phone +55 11 3215-4900  
E-Mail sac@sick.com.br

**Canada**

Phone +1 905 771 14 44  
E-Mail information@sick.com

**Ceská Republika**

Phone +420 2 57 91 18 50  
E-Mail sick@sick.cz

**China**

Phone +86 4000 121 000  
E-Mail info.china@sick.net.cn  
Phone +852-2153 6300  
E-Mail ghk@sick.com.hk

**Danmark**

Phone +45 45 82 64 00  
E-Mail sick@sick.dk

**Deutschland**

Phone +49 211 5301-301  
E-Mail kundenservice@sick.de

**España**

Phone +34 93 480 31 00  
E-Mail info@sick.es

**France**

Phone +33 1 64 62 35 00  
E-Mail info@sick.fr

**Great Britain**

Phone +44 (0)1727 831121  
E-Mail info@sick.co.uk

**India**

Phone +91-22-4033 8333  
E-Mail info@sick-india.com

**Israel**

Phone +972-4-6801000  
E-Mail info@sick-sensors.com

**Italia**

Phone +39 02 27 43 41  
E-Mail info@sick.it

**Japan**

Phone +81 (0)3 3358 1341  
E-Mail support@sick.jp

**Magyarország**

Phone +36 1 371 2680  
E-Mail office@sick.hu

**Nederlands**

Phone +31 (0)30 229 25 44  
E-Mail info@sick.nl

**Norge**

Phone +47 67 81 50 00  
E-Mail austefjord@sick.no

**Österreich**

Phone +43 (0)22 36 62 28 8-0  
E-Mail office@sick.at

**Polska**

Phone +48 22 837 40 50  
E-Mail info@sick.pl

**România**

Phone +40 356 171 120  
E-Mail office@sick.ro

**Russia**

Phone +7-495-775-05-30  
E-Mail info@sick.ru

**Schweiz**

Phone +41 41 619 29 39  
E-Mail contact@sick.ch

**Singapore**

Phone +65 6744 3732  
E-Mail admin@sicksgp.com.sg

**Slovenija**

Phone +386 (0)1-47 69 990  
E-Mail office@sick.si

**South Africa**

Phone +27 11 472 3733  
E-Mail info@sickautomation.co.za

**South Korea**

Phone +82 2 786 6321/4  
E-Mail info@sickkorea.net

**Suomi**

Phone +358-9-25 15 800  
E-Mail sick@sick.fi

**Sverige**

Phone +46 10 110 10 00  
E-Mail info@sick.se

**Taiwan**

Phone +886-2-2375-6288  
E-Mail sales@sick.com.tw

**Türkiye**

Phone +90 (216) 528 50 00  
E-Mail info@sick.com.tr

**United Arab Emirates**

Phone +971 (0) 4 8865 878  
E-Mail info@sick.ae

**USA/México**

Phone +1(952) 941-6780  
1 800-325-7425 – tollfree  
E-Mail info@sickusa.com

More representatives and agencies  
at [www.sick.com](http://www.sick.com)