



ADAPTER 45 MM,  
FOR MOTOR STARTER PROTECTOR SIZE S0 3RV1.2.  
AND 3RV2.2. MAX 25 A CABLE CROSS-SECTION AWG10

General technical data:		
product brand name		SIRIUS
Product designation		adapter 45 mm
Protection class IP		IP20
Degree of pollution		3
Installation altitude / at a height over sea level		
• maximum	m	2,000
Ambient temperature		
• during transport	°C	-55 ... +80
• during storage	°C	-55 ... +80
• during operating	°C	-20 ... +60
Insulation voltage / rated value	V	400
Resistance against vibration		f = 4 to 5.8 Hz; d = 15 mm; f = 5.8 to 500 Hz; a = 2 m / s <sup>2</sup> 10 cycles
Resistance against shock		Semi-sinusoidal a = 6 m/s <sup>2</sup> at 10 ms; 3 pos. and 3 neg. Shock in all axes
Reference code		
• according to DIN EN 61346-2		U
• according to DIN 40719 extended according to IEC 204-2 / according to IEC 750		U

**Main circuit:**

<b>Operating current / at 400 V / for AC</b>		
• rated value	A	25
<b>Operating voltage / at AC-3 / rated value</b>		
• maximum	V	400

### Installation/mounting/dimensions:

<b>Mounting type</b>		snap-on mounting
<b>Width</b>	mm	45
<b>Height</b>	mm	26
<b>Depth</b>	mm	23

### General Product Approval



### EMC

### Shipping Approval



### other

[Declaration of Conformity](#)

[other](#)

[Environmental Confirmations](#)

### Safety:

<b>Protection against electrical shock</b>		finger-safe
--	--	-------------

### Further information:



**Information- and Downloadcenter (Catalogs, Brochures,...)**  
<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**  
<http://www.siemens.com/industrial-controls/mall>

**CAX-Online-Generator**  
<http://www.siemens.com/cax>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**  
<http://support.automation.siemens.com/VW/view/en/3RA6890-0BA/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3RA6890-0BA](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RA6890-0BA)



last change:

Jul 7, 2014