

STAND-ALONE INSTALLATION SUPPORT FOR  
3RU21/3RB30/3RB31 SZ S0,  
STAND-ALONE INSTALLATION MAIN CIRCUIT: SCREW  
TERMINAL AUX. CIRCUIT: --

### General technical data:

product brand name	SIRIUS
Product designation	individual mount
Size of overload relay	S0

### Installation/mounting/dimensions:

Mounting type	screw and snap-on mounting onto 35 mm standard mounting rail
---------------	--

### Connections:

<b>Design of the electrical connection</b> <ul style="list-style-type: none"> <li>for main current circuit</li> </ul>	screw-type terminals
<b>Type of the connectable conductor cross-section</b> <ul style="list-style-type: none"> <li>for main contacts                             <ul style="list-style-type: none"> <li>solid</li> <li>finely stranded                                     <ul style="list-style-type: none"> <li>with conductor end processing</li> </ul> </li> </ul> </li> <li>for AWG conductors                             <ul style="list-style-type: none"> <li>for main contacts</li> </ul> </li> </ul>	1 ... 10 mm <sup>2</sup>  1 ... 10 mm <sup>2</sup>  1x (16 ... 8)

General Product Approval



Test Certificates

[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)

Shipping Approval



other

[Declaration of Conformity](#)

[Environmental Confirmations](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator




<http://www.siemens.com/cax>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3RU2926-3AA01/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3RU2926-3AA01](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RU2926-3AA01)





**last change:**

Jun 16, 2014