

PSEN op4H-s-30-105/1

630766



Safety light curtain, Type 4, PL e, hand protection (resolution 30 mm), protected field height 1050 mm, supply voltage 24 V, terminator M12, transmitter: 4-pin, receiver: 8-pin, connection cable not supplied with the device.

Technical details

| | |
|---------------------------------|------------------------------------|
| Certifications: | CE;cULus Listed;EAC (Eurasian);TÜV |
| Resolution of safety device: | 30 mm |
| Number of beams: | 56 |
| Resolution, protection type: | Bulb |
| Height of protected field: | 1050 mm |
| Operating range (m): | 0,2 - 19,0 |
| Reaction time: | 19.00 ms |
| Number of OSSD outputs: | 2 |
| Blanking: | Laser pointer |
| Muting: | Fan |
| Supply voltage (V): | 24,0 |
| Supply voltage type: | DC |
| Protection type, housing: | IP65 |
| Application in accordance with: | CLC/TS 61496-2;EN 61496-1 |
| Width dimension: | 32.3 mm |
| Height dimension: | 1133.2 mm |
| Depth dimension: | 36.9 mm |
| Gross weight: | 5460 g |
| Net weight: | 2700 g |
| Ambient temperature: | 0 - 55 °C |

Optional accessories



540319

PSEN cable axial M12 8-pole 3m



540320

PSEN cable axial M12 8-pole 5m



540322

PSEN cable angle M12 8-pole 3m



540323

PSEN cable angle M12 8-pole 5m



540325

PSEN cable angle M12 8-pole 30m



540326

PSEN cable axial M12 8-pole 30m



630296

PSEN op cable axial M12 4-pole 30m












630300

PSEN op cable axial M12 4-pole 3m



630301

PSEN op cable axial M12 4-pole 5m

| | | |
|---|--------|--|
|  | 630303 | PSEN op cable axial M12 4-p. shield. 3m |
|  | 630304 | PSEN op cable axial M12 4-p. shield. 5m |
|  | 630306 | PSEN op cable angle M12 4-p. shield. 3m |
|  | 630307 | PSEN op cable angle M12 4-p. shield. 5m |
|  | 630309 | PSEN op cable axial M12 4-p. shield. 30m |
|  | 630313 | PSEN op cable axial M12 8-p. shield. 3m |
|  | 630314 | PSEN op cable axial M12 8-p. shield. 5m |
|  | 630316 | PSEN op cable angle M12 8-p. shield. 3m |
|  | 630317 | PSEN op cable angle M12 8-p. shield. 5m |



630319

PSEN op cable angle M12 4-p. shield. 30m



630326

PSEN op Bracket kit adjustable



630327

PSEN op Bracket kit antivibration



630328

PSEN op cable axial M12 8-p. shield. 30m



630329

PSEN op cable angle M12 8-p. shield. 30m



630341

PSEN op cable angle M12 4-pole 3m



630342

PSEN op cable angle M12 4-pole 5m



630344

PSEN op cable angle M12 4-pole 30m



630916

PSEN op Lens Shield-105/1



630936

PSEN op67-69K-105/1



630952

PSEN op Protective Column-120/1



630955

PSEN op Protective Base/1



630954

PSEN op Protective Column-190/1



630956

PSEN op Protective Bracket-4/1



630960

PSEN op Protective Bracket Mirror/1



630906

PSEN op Mirror Bracket Kit/1



630903

PSEN op Mirror-120/1



630362

PSEN op cable axial M12 4-pole 50m



630363

PSEN op cable angle M12 4-pole 50m



630369

PSEN op cable angle M12 8-p. shield. 50m



630366

PSEN op cable axial M12 4-p. shield. 50m



630367

PSEN op cable angle M12 4-p. shield. 50m



630368

PSEN op cable axial M12 8-p. shield. 50m
