

PNOZ m ES RS232

772131



Configurable safe small controllers PNOZmulti 2, communication module, 1 serial interface RS232.

Technical details

Certifications:	CE;cULus Listed;EAC (Eurasian)
Number of RS 232 interfaces:	1
Version for extreme environ. conditions:	Standard
Width dimension:	22.5 mm
Height dimension:	101.4 mm
Depth dimension:	120.0 mm
Gross weight:	105 g
Net weight:	85 g
Ambient temperature:	0 - 60 °C

Accessories



783538

Spring terminals PNOZ mmc2p, mml1p 1 pc.



793538

Screw terminals PNOZ mmc2p, mml1p 1 pc.

Optional accessories



779260

PNOZ mm0.xp connector left (10 pcs)



793539

Screw terminals PNOZ mmc2p,mml1p 10 pcs.



783539

Spring terminals PNOZ mmc2p,mml1p 10 pcs

Alternatives



772130

PNOZ m ES ETH

Related Products



772100

PNOZ m B0



772120

PNOZ m EF Multi Link



772121

PNOZ m EF PDP Link



772122

PNOZ m EF SafetyNET



772140

PNOZ m EF 16DI



772142

PNOZ m EF 8DI4DO



772143

PNOZ m EF 4DI4DOR



772144

PNOZ m EF 8DI2DOT



772160

PNOZ m EF 4AI



772170

PNOZ m EF 1MM



772171

PNOZ m EF 2MM



773600

PDP67 F 8DI ION



773601

PDP67 F 8DI ION HP



773614

PDP67 F 8DI ION VA



773615

PDP67 F 8DI ION HP VA



773616

PDP67 F 8DI ION PT
