

PSEN ma1.4-51 M12/8-0.15m 1switch

506314



Magnetic safety switch 2 n/o, 1 auxiliary contact n/o, 8-pin M12 male connector, square design, LED, IP67, operating distance depending on the actuator, height design 18 mm, PU = 1 sensor.

## Technical details

Housing material:	PBT
Certifications:	CE;cULus Listed;EAC (Eurasian);TÜV
Sensor principle:	magnetic
Number of N/O:	2
Connection type:	M12, 8pol. male
Switching voltage:	24 V
Type of switching voltage:	DC
Assured switching distance:	10.0 mm
Assured release distance:	22.0 mm
Protection type, housing:	IP65;IP67
Status indicator:	With LED
Design:	square
Width dimension:	26.4 mm
Height dimension:	37.0 mm
Depth dimension:	18.0 mm
Gross weight:	60 g
Net weight:	35 g
Ambient temperature:	-10 - 55 °C
Operating modes:	Single connection

## Accessories



540319

PSEN cable axial M12 8-pole 3m



540320

PSEN cable axial M12 8-pole 5m



540321

PSEN cable axial M12 8-pole 10m



540322

PSEN cable angle M12 8-pole 3m



540323

PSEN cable angle M12 8-pole 5m



540324

PSEN cable angle M12 8-pole 10m



540325

PSEN cable angle M12 8-pole 30m




540326

PSEN cable axial M12 8-pole 30m




540333

PSEN cable M12-8sf, 20m



506300

PSEN ma1.4-03mm 1actuator



506301

PSEN ma1.4-10mm 1actuator

## Optional accessories



380208

PSS67 Cable M12sf M12sm, 3m



380209

PSS67 Cable M12sf M12sm, 5m



380210

PSS67 Cable M12sf M12sm, 10m



380211

PSS67 Cable M12sf M12sm, 30m



380212

PSS67 Cable M12af M12am, 3m



380213

PSS67 Cable M12af M12am, 5m



380214

PSS67 Cable M12af M12am, 10m



380215

PSS67 Cable M12af M12am, 30m



630297

PSEN op cable axial M12 5-pole 30m



630310

PSEN op cable axial M12 5-pole 3m



630311

PSEN op cable axial M12 5-pole 5m



630312

PSEN op cable axial M12 5-pole 10m



630347

PSEN op cable angle M12 5-pole 3m












630348

PSEN op cable angle M12 5-pole 5m



630349

PSEN op cable angle M12 5-pole 10m

	630350	PSEN op cable angle M12 5-pole 30m
	380220	PSS67 cable M12-5sf, M12-5sm, 20m
	630298	PSEN cable M12-5sf 20m
	380713	PDP67 Cable M12-5sf M12-5sm, 2m
	380710	PDP67 Cable M12-5sf M12-5sm, 0.5m
	380712	PDP67 Cable M12-5sf M12-5sm, 1.5m
	380711	PDP67 Cable M12-5sf M12-5sm, 1m
	630365	PSEN op cable angle M12 5-pole 50m
	630364	PSEN op cable axial M12 5-pole 50m