


PSEN opII3F-s-14-075

632044



Safety light guard, Type 3, PL d, finger protection (resolution 14 mm), protected field height 750 mm without dead zone, supply voltage 24 V. Connector M12, transmitter: 5-pin, receiver 5-pin. Connection cable not supplied with the device.

Technical details

| | |
|-----------------------------------|-----------------------------|
| Certifications: | CE;EAC (Eurasian);TÜV;KOSHA |
| Sensor principle: | Lamp |
| Type in accordance with EC 61496: | Pin for escape release |
| Number of beams: | 80 |
| Height of protected field: | 750 mm |
| Operating range (m): | 0,2 - 8,0 |
| Reaction time: | 11.00 ms |
| Number of OSSD outputs: | 2 |
| Muting: | Fan |
| Protection type, housing: | IP65 |
| Supply voltage (V): | 24,0 |
| Supply voltage type: | DC |
| Resolution of safety device: | 14 mm |
| Width dimension: | 35.0 mm |
| Height dimension: | 754.0 mm |
| Depth dimension: | 40.0 mm |
| Gross weight: | 3910 g |
| Net weight: | 2263 g |
| Ambient temperature: | -10 - 60 °C |

Accessories



632018

PSEN opII Testpiece F 14 mm

Optional accessories



380208

PSS67 Cable M12sf M12sm, 3m



380209

PSS67 Cable M12sf M12sm, 5m



380210

PSS67 Cable M12sf M12sm, 10m



380211

PSS67 Cable M12sf M12sm, 30m



380212

PSS67 Cable M12af M12am, 3m



380213

PSS67 Cable M12af M12am, 5m



380214

PSS67 Cable M12af M12am, 10m

| | | |
|-------------------------------------------------------------------------------------|--------|------------------------------------|
|  | 380215 | PSS67 Cable M12af M12am, 30m |
|  | 630297 | PSEN op cable axial M12 5-pole 30m |
|  | 630310 | PSEN op cable axial M12 5-pole 3m |
|  | 630311 | PSEN op cable axial M12 5-pole 5m |
|  | 630312 | PSEN op cable axial M12 5-pole 10m |
|  | 630347 | PSEN op cable angle M12 5-pole 3m |
|  | 630348 | PSEN op cable angle M12 5-pole 5m |
|  | 630349 | PSEN op cable angle M12 5-pole 10m |
|  | 630350 | PSEN op cable angle M12 5-pole 30m |



380220

PSS67 cable M12-5sf, M12-5sm, 20m



630914

PSEN op Lens Shield-075/1



630951

PSEN op Protective Column-090/1



630952

PSEN op Protective Column-120/1



630955

PSEN op Protective Base/1



630957

PSEN op Protective Bracket-6/1



630953

PSEN op Protective Column-165/1



630954

PSEN op Protective Column-190/1



630956

PSEN op Protective Bracket-4/1



630298

PSEN cable M12-5sf 20m



630365

PSEN op cable angle M12 5-pole 50m



630364

PSEN op cable axial M12 5-pole 50m



632015

PSEN opII Bracket Kit



632007

PSEN opII mirror column-060 Set



632008

PSEN opII mirror column-090 Set



632010

PSEN opII mirror column-165 Set



632009

PSEN opII mirror column-120 Set



632014

PSEN opII Laserpointer



632017

PSEN opII Adv Bracket Kit-3



632016

PSEN opII Adv Bracket Kit-2



632032

PSEN opII mirror column-060



632033

PSEN opII mirror column-090



632035

PSEN opII mirror column-165



632036

PSEN opII mirror column-195



632034

PSEN opII mirror column-120
