

**PZ 10 HEX ZERT****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

Version	0.25mm <sup>2</sup> , 10mm <sup>2</sup> , Hexagonal crimp
Order No.	<a href="#">1989320000</a>
Type	PZ 10 HEX ZERT
GTIN (EAN)	4050118373677
Qty.	1 pc(s).

Creation date March 26, 2021 7:32:59 PM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

**PZ 10 HEX ZERT****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

Net weight	510 g	Weight	600 g
Width	195 mm	Width (inches)	7.677 inch

**Environmental Product Compliance**

REACH SVHC	Lead 7439-92-1
------------	----------------

**Technical data**

Description of article	(1)Crimping tool
------------------------	------------------

**Description of contact**

Conductor cross-section, max. AWG	AWG 8	Conductor cross-section, min. AWG	AWG 24
Crimping range, max.	10 mm <sup>2</sup>	Crimping range, min.	0.25 mm <sup>2</sup>
Type of contact	Wire-end ferrules with/ without plastic collars		

**tool data crimping**

Crimping type/profile	Hexagonal crimp	Wire end ferrules cross-section, max.	10 mm <sup>2</sup>
Wire end ferrules cross-section, min.	0.25 mm <sup>2</sup>		

**Classifications**

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ECLASS 9.0	21-04-38-11	ECLASS 9.1	21-04-38-11
ECLASS 10.0	21-04-38-11	ECLASS 11.0	21-04-38-11

**Downloads**

User Documentation	<a href="#">Manual</a>
--------------------	------------------------


**Data sheet**

**PZ 10 HEX ZERT**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**



**Example of use**



**Example of use**



**Example of use**

