

## INLAY CC-M 70/48

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)



### General ordering data

Order No.	<a href="#">1415940000</a>
Type	INLAY CC-M 70/48
GTIN (EAN)	4050118217247
Qty.	1 pc(s).

Creation date March 23, 2021 9:55:15 PM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

**INLAY CC-M 70/48****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

Depth	120 mm	Depth (inches)	4.724 inch
Height	8 mm	Height (inches)	0.315 inch
Net weight	65 g	Width	76 mm
Width (inches)	2.992 inch		

**General data**

Operating temperature range, max.	130 °C	Operating temperature range, min.	-55 °C
Version	Holder for 3 signs	Width	76 mm

**Classifications**

ETIM 6.0	EC001675	ETIM 7.0	EC001675
ECLASS 9.0	19-14-92-90	ECLASS 9.1	19-14-92-90
ECLASS 10.0	19-14-92-90	ECLASS 11.0	19-14-90-90

**Approvals**

ROHS	Conform
------	---------

**INLAY CC-M 70/48**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**

