

SKMU EMV PG9**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

General ordering data

| | |
|------------|--|
| Version | SKMU MS EMV (brass locknut - EMC), Locknut, PG 9, 4.7 mm, Brass, nickel-plated |
| Order No. | 1718910000 |
| Type | SKMU EMV PG9 |
| GTIN (EAN) | 4008 190352 134 |
| Qty. | 20 pc(s). |

Creation date March 24, 2021 10:26:03 PM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

SKMU EMV PG9

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | |
|------------|--------|
| Net weight | 3.25 g |
|------------|--------|

Environmental Product Compliance

| | |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

General information

| | | | |
|-----------------|----------------------|------------------|----------|
| AF size 1 | 18 mm | Cable glands | PG |
| External thread | PG 9 | Halogen | No |
| Internal thread | PG 9 | Length of thread | 4.7 mm |
| Material | Brass, nickel-plated | O.D. | 20.79 mm |
| Thickness | 3.6 mm | | |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC000940 | ETIM 7.0 | EC000940 |
| ECLASS 9.0 | 27-14-44-24 | ECLASS 9.1 | 27-14-44-24 |
| ECLASS 10.0 | 27-14-44-24 | ECLASS 11.0 | 27-14-44-24 |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|------------------|------------------------------|
| Engineering Data | STEP |
| Engineering Data | EPLAN, WSCAD |

Data sheet

SKMU EMV PG9

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

