



POWER SUPPLY; PHASES:3; PN(KW):0,72;  
 UPRI(V):400+/-20; USEC(V DC):24; ISEC(A DC):30/36  
 (60/40 CEL); F(HZ):50...60; VECTOR GR./SHIELD  
 WNG.:YD1 /0; PROTECTION CL.:I; TA/ISOKL:60 /B;  
 W(%):4,2; IP00; TYPE OF TERMINALS:SCREW  
 CONNECTION; INSTALLATION:SCREW; EN 61558-2-  
 6, EN61131-2 >SAFETY ISOLATING  
 TRANSFORMER<

Figure similar

General technical data:		
Product designation		<a href="#">4AV3300-2EB00-0A</a>
product brand name		SIDAC
Vector group		li0
Certificate of suitability		CE
Product function		
• Temperature monitoring		No
• Insulation monitoring		No
• Short-circuit and overload proof		No
• varistor protective wiring		Yes
Operating resource protection class		I
Number of shielding windings		0
Inputs:		
Phase number of the inputs		3
Type of current of the inputs		AC
Input voltage		
• $U_1$ rated value	V	420

• _2 rated value	V	400
• _3 rated value	V	380
<b>Electrical input frequency</b>		
• minimum	Hz	50
• maximum	Hz	60
<b>Input voltage</b>		
• minimum	V	342
• maximum	V	445.2
<b>Type of electrical connection at input for main current circuit</b>		screw-type terminals

#### Outputs:

<b>Type of current</b>		DC
• _1 at output		
<b>Output voltage</b>		
• _1 rated value	V	24
<b>Output voltage of the measurement signal at analog output at DC maximum</b>	V	28.8
<b>Output voltage of the measurement signal at analog output at DC minimum</b>	V	20.4
<b>Output current</b>		
• _1 rated value	A	30
<b>Type of electrical connection at output for main current circuit</b>		screw-type terminals
<b>Relative residual ripple</b>		
• of the output voltage 1 for main current circuit maximum	%	5

#### Ambient conditions:

<b>Thermal class acc. to IEC 60085</b>		B
<b>Ambient temperature rated value</b>	°C	60
<b>Protection class IP</b>		IP00

#### Mechanical data:

<b>Mounting type</b>		screws
<b>Construction form of the iron core</b>		3UI 90/50
<b>Width</b>	m	216
<b>Height</b>	m	220
<b>Depth</b>	m	158

#### Certificates/ approvals:

General Product Approval	Declaration of Conformity	Shipping Approval	other
--------------------------	---------------------------	-------------------	-------



[Bestätigungen](#)

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=4AV3300-2EB00-0A>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/4AV3300-2EB00-0A>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=4AV3300-2EB00-0A&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=4AV3300-2EB00-0A&lang=en)

last modified:

07/08/2016