

NEOZED BUILT-IN FUSE BASE WITH SHOCK-HAZARD COVER D02/63A 3-POLE, SNAP-ON MOUNTI



Similar to image

**Technical data:**

<b>Number of poles</b>		3
<b>Type of mounting</b>		DIN rail
<b>Operating current / rated value</b>	A	63
<b>Operating voltage / rated value</b>	V	400
<b>Material / of D fuse base</b>		porcelain
<b>Product component / Cover</b>		Yes
<b>Size of the fallback-system / acc. to DIN EN 60269-1</b>		D02

**Certificates/approvals:**

General Product Approval

Declaration of Conformity



**Further information:**

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/lowvoltage/mall>

---

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/5SG5693/all>

---

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5SG5693](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG5693)

---

**CAx-Online-Generator**

<http://www.siemens.com/cax>

---

**Tender specifications**

[Datanorm](#) [GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)



**last change:**

Dec 17, 2012