

**VFSKHI/0,1-0,5/285****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Insulated tab-connector sleeves made from PVC  
with copper sleeve**

- Commercially available designs
- Not soldered
- With conical entry funnel

**General ordering data**

Version	cable lug, terminal end, Insulated cable connector, 0.1 mm <sup>2</sup> - 0.5 mm <sup>2</sup>
Order No.	<a href="#">1491620000</a>
Type	VFSKHI/0,1-0,5/285
GTIN (EAN)	4050118301526
Qty.	100 pc(s).

Creation date March 24, 2021 2:00:08 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

## VFSKHI/0,1-0,5/285

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

# Technical data

### Dimensions and weights

Net weight	0.368 g	Weight	0.04 g
------------	---------	--------	--------

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

### Connectors

Conductor cross-section, max.	0.5 mm <sup>2</sup>	Conductor cross-section, min.	0.1 mm <sup>2</sup>
Identification colour	yellow	Insulation	Available
Length 1 (l1)	16 mm	Length 2 (l2)	6.4 mm <sup>2</sup>
Material/plastic	PVC	Plug-in density (d3)	0.5 mm
Plug-in width (d2)	2.8 mm		

### Classifications

ETIM 6.0	EC0005 16	ETIM 7.0	EC0005 16
ECLASS 9.0	27-44-03-92	ECLASS 9.1	27-40-02-90
ECLASS 10.0	27-44-03-92	ECLASS 11.0	27-44-03-92

### Approvals

ROHS	Conform
------	---------

### Downloads

Engineering Data	<a href="#">EPLAN</a>
------------------	-----------------------

**Data sheet**

**VFSKHI/0,1-0,5/285**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

