

VP M16-MS65**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

For sealing surplus threaded holes to maintain the IP class of protection

General ordering data

Version	VPMS (blanking plug in brass), Blanking plug, M 16, 5 mm, Brass, nickel-plated
Order No.	1777730000
Type	VP M16-MS65
GTIN (EAN)	4032248158003
Qty.	100 pc(s).

Creation date March 25, 2021 6:41:18 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

VP M16-MS65

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Diameter	18 mm	Height	8 mm
Height (inches)	0.315 inch	Length	8 mm
Length (inches)	0.315 inch	Net weight	5.21 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Technical properties

Protection degree IP68 - 5 bar (30 min.)

Technical data

Protection degree IP68 - 5 bar (30 min.)

Classifications

ETIM 6.0	EC000451	ETIM 7.0	EC000451
ECLASS 9.0	27-14-44-25	ECLASS 9.1	27-14-44-33
ECLASS 10.0	27-14-44-25	ECLASS 11.0	27-14-44-25

Approvals

Approvals



ROHS Conform

Downloads

Engineering Data	STEP
Engineering Data	EPLAN, WSCAD

Data sheet

VP M16-MS65

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

