



LIGHT SIGNALL., D=70MM 1 LAMP 230V RED,  
LONG CABLE

Similar to image

**Technical data:**

<b>Design type</b>		5TE5 light indicators
<b>Type, explanations</b>		Light indicators for max. cable length up to 250 m
<b>Type, explanations / additionally</b>		with 1 red lamp
<b>Nature of fluorescent material</b>		glow lamp
<b>type of voltage</b>		AC
<b>Mounting depth</b>	mm	64
<b>Number of pitch units for width</b>		1
<b>Operating voltage / rated value</b>		
• minimum	V	230
• maximum	V	230
<b>Active power / for filament lamp load / maximum</b>	W	0.4
<b>Protection class IP</b>		IP20
<b>Holder design / for fluorescent material</b>		others
<b>Color / of the lens</b>		red
<b>Connection terminals</b>		
• ± screw (Pozidriv)		1
• max torque	N·m	1.2
<b>Climatic resistance / at 95 % relative humidity acc. to DIN 50015</b>	°C	45

<b>Permissible ambient temperature</b>	-5 till +40°C
<b>Rated operational voltage Ue / AC / maximum</b>	230V (for different voltages see 5TG8 lamps)
<b>Rated power loss Pv / contact per pole</b>	see 5TG8 lamps
<b>Conductor cross sections</b>	
<ul style="list-style-type: none"> <li>flexible, with end sleeve</li> <li>rigid</li> </ul>	1 till 6 mm <sup>2</sup> 1.5 to 6mm <sup>2</sup>

#### Certificates/approvals:

General Product Approval

Declaration of Conformity

other



GOST



VDE



EG-Konf.

[Environmental Confirmations](#)

#### Further information:

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/lowvoltage/mall>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/5TE5804/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TE5804](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE5804)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

[Datanorm GAEB81 GAEB83 RTF TXT](#)



last change:

Oct 2, 2012