

VOLTAGE RELAY AC 230/400V 0,85 1 CO CONTACT
FIXED RESPONSE DELAY 0.5 SEC FIXED RESET
DELAY 60 SEC



Figure similar

Model		
product brand name		SENTRON
General technical data		
Adjustable pickup delay time / initial value	s	0.5
Measurable voltage / at AC / initial value	V	195.5
Voltage		
Type of voltage / for actuation		AC
Type of voltage / for monitoring		AC
Adjustable voltage range / Full-scale value	V	195.5
Measurable voltage / at AC / Full-scale value	V	264.5
Electricity		
Adjustable voltage range / initial value	V	195.5
Control current		
Control supply voltage		
<ul style="list-style-type: none"> at AC / at 50 Hz / rated value / minimum 	V	195.5
<ul style="list-style-type: none"> at AC / at 50 Hz / rated value / maximum 	V	264.5

- at AC / at 60 Hz / rated value / minimum
- at AC / at 60 Hz / rated value / maximum

V	195.5
V	264.5

Auxiliary circuit

Number of CO contacts / for auxiliary contacts		1
Number of NC contacts / for auxiliary contacts		0
Number of NO contacts / for auxiliary contacts		0

Adjustable parameters

Adjustable pickup delay time / Full-scale value	s	0.5
Adjustable OFF-delay time		
• initial value	s	60
• Full-scale value	s	60

Product function

Product function		
• Voltage window recognition 1 phase		No
• Voltage window recognition 3 phase		No
• Voltage window recognition DC		No
• Overvoltage detection 1 phase		No
• Overvoltage detection 3 phase		No
• Overvoltage detection DC		No
• undervoltage detection 1 phase		Yes
• undervoltage detection 3 phases		Yes
• undervoltage detection DC		No

Connections

Type of electrical connection		screw-type terminals
• Plug-in socket		No

Mechanical Design

Height	mm	90
Width	mm	18
Depth	mm	64

Certificates

General Product Approval

Declaration of Conformity



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TT3414>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TT3414/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT3414

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>

last modified:

08/11/2016