

H1,0/14T R BD**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

- Linked of wire-end ferrule strips (50 pcs.)
- Weidmüller colour code
- DIN colour code
- other colour code

General ordering data

Version	Wire-end ferrule, insulated, 10 mm, 8 mm, red
Order No.	9021950000
Type	H1,0/14T R BD
GTIN (EAN)	4008190262747
Qty.	500 pc(s).
Packaging	Reel packaged

Creation date March 30, 2021 12:31:02 AM CEST

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

H1,0/14T R BD

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Net weight 0.104 g

Technical data

Description of article	Linked wire-end ferrules, red	Version	insulated

Wire-end ferrules

Collar diameter (D2)	3.3 mm	Colour code	Telemecanique
Conductor cross-section	1 mm ²	Contact surface diameter (D1)	1 mm
Contact surface length (L2)	8 mm	L1 in mm	15 mm
Metal sleeve thickness (S1)	0.15 mm	Plastic collar thickness (S2)	0.25 mm
Stripping length	10 mm	Wire connection cross section AWG, max.	AWG 17

Classifications

ETIM 6.0	EC000005	ETIM 7.0	EC000005
ECLASS 9.0	27-40-02-01	ECLASS 9.1	27-40-02-01
ECLASS 10.0	27-40-02-01	ECLASS 11.0	27-40-02-01

Approvals

Approvals



ROHS Conform

Downloads

Engineering Data	EPLAN
User Documentation	Technical information - EN Technical information - DE

Data sheet

H1,0/14T R BD

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Drawing

