


TS 35X15/LL 1M/ST/ZN**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Product image

Similar to illustration

Building installation wiring

For building installations, we offer a complete system that revolves around the 10×3 copper rail and comprises perfectly coordinated components: from installation terminal blocks, neutral conductor terminal blocks and distribution terminal blocks to comprehensive accessories such as busbars and busbar holders.

General ordering data

Version	Rail, TS 35, TS 35 x 15, with slot, Steel, galvanic zinc plated and passivated
Order No.	0236510000
Type	TS 35X15/LL 1M/ST/ZN
GTIN (EAN)	4008190017699
Qty.	1 m

Creation date March 22, 2021 9:07:12 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

TS 35X15/LL 1M/ST/ZN

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	15 mm	Depth (inches)	0.591 inch
Height	35 mm	Height (inches)	1.378 inch
Net weight	630 g	Width	1,000 mm
Width (inches)	39.37 inch		

Mounting rail

Drill-hole diameter	5.2 mm		
Installation advice	Direct mounting		
Length of the terminal rail	min.	0 mm	
	max.	1,000 mm	
	nominal	1,000 mm	
Material	Steel		
Pre-punched mounting rail	Yes		
Short circuit strength corresponds to E-Cu wire	50 mm ²		
Short-time withstand current according to IEC 60947-7-2	6 kA/1s		
Slit gap	11 mm		
Slit gap			
Slit length	25 mm		
Slit length			
Slit width	5.2 mm		
Slit width			
Slotted drill holes	Yes		
Solder eyelet hole diameter (D)	5.2 mm		
Spacing of holes, centre-to-centre	36 mm		
Standards	In accordance with DIN EN 60715		
Surface finish	galvanic zinc plated and passivated		
Thickness	1.5 mm		

Classifications

ETIM 6.0	EC001285	ETIM 7.0	EC001285
ECLASS 9.0	27-40-06-02	ECLASS 9.1	27-40-06-02
ECLASS 10.0	27-40-06-02	ECLASS 11.0	27-40-06-02

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	STEP
Engineering Data	EPLAN, WSCAD, Zuken E3.S
User Documentation	StorageConditionsTerminalBlocks