

KQIG-M4/S/-1**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Insulated forked-cable connector made from PVC or PC/PA**

- Conventional designs
- Not soldered
- With conical entry funnel

General ordering data

Version	cable lug, terminal end, Insulated cable connector, 0.5 mm ² - 1 mm ²
Order No.	1492540000
Type	KQIG-M4/S/-1
GTIN (EAN)	4050118302523
Qty.	100 pc(s).

Creation date March 24, 2021 2:06:43 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

KQIG-M4/S/-1**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Net weight 0.73 g

Connectors

Conductor cross-section, max.	1 mm ²	Conductor cross-section, min.	0.5 mm ²
Connection length (l)	18 mm	Hole	C 4/S
Identification colour	red	Inside diameter of collar (d4)	4 mm
Inside diameter of flange (d2)	4.3 mm	Inside diameter of shaft (d1)	1.6 mm
Insulation	Available	Material/plastic	PC
Outside diameter of shaft (d3)	6.8 mm		

Classifications

ETIM 6.0	EC001059	ETIM 7.0	EC001059
ECLASS 9.0	27-40-02-92	ECLASS 9.1	27-40-02-12
ECLASS 10.0	27-40-02-92	ECLASS 11.0	27-40-02-92

Approvals

ROHS Conform

DownloadsEngineering Data [EPLAN](#)

Data sheet

KQIG-M4/S/-1

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

