



DOORBELL UN=AC 12V PRIM. MOUNTING WIDTH 1MW  
MOUNTING DEPTH 64MM PV=4 VA

Similar to image

#### Technical data:

Consumed standby current	A	0.33
type of voltage		AC
Type of mounting		mounting
Loudness level	dB	75
supply voltage / nominal value	V	12
Color / of the housing		gray
Material / of the enclosure		plastic
Product component / integrated / Transformer		No
Protection class IP		IP20
Design of the acoustic signal type		others

#### Certificates/approvals:

General Product  
Approval

Declaration of Conformity



#### Further information:

---

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

---

**Industry Mall (Online ordering system)**

<http://www.siemens.com/lowvoltage/maill>

---

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/7LQ2204-1/all>

---

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=7LQ2204-1](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LQ2204-1)

---


**CAX-Online-Generator**

<http://www.siemens.com/cax>

---

**Tender specifications**

[Datanorm](#) [GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)



last change:

Sep 3, 2012