



THERMOSTAT RANGE 0-60 GRAD C 6A/250V AC WITH MAKE CONTACT ELEMENT

Similar to image

**General details:**

<b>product brand name</b>		SIVACON
<b>mounting position</b>		any
<b>Width</b>	mm	33
<b>Height</b>	mm	60
<b>Depth</b>	mm	43
<b>Net weight</b>	kg	0.04
<b>Operating current / rated value</b>	A	10
<b>Type of voltage</b>		AC
<b>Mounting type</b>		terminal mounting
<b>Operating voltage / rated value</b>	V	250
<b>Adjustable temperature</b>	°C	0 ... 60
<b>Product component</b>		
• hygostat		No
• digital display		No
<b>Design of the switching function</b>		NO contact
<b>Material / of the enclosure</b>		plastic
<b>Mechanical operating cycles as operating time / typical</b>		100,000
<b>Inrush current / typical</b>	A	10

<b>Operating temperature</b>	°C	-45 ... +80
<b>Ambient temperature</b> • during storage	°C	-45 ... +80
<b>Relative humidity / reference value</b>	%	90
<b>Item designation</b> • according to DIN EN 61346-2 • according to DIN EN 81346-2		K K

#### Further information:

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

##### Industry Mall (Online ordering system)

<http://www.siemens.com/lowvoltage/mall>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/VW/view/en/8MR2170-1BB/all>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MR2170-1BB](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR2170-1BB)

last change:

Jul 7, 2014