

VP M40-MS65**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

General ordering data

Version	VPMS (blanking plug in brass), Blanking plug, M 40, 8 mm, Brass, nickel-plated
Order No.	1777770000
Type	VP M40-MS65
GTIN (EAN)	4032248158041
Qty.	50 pc(s).

Creation date March 25, 2021 6:41:37 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

VP M40-MS65

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Diameter	44 mm	Height	13 mm
Height (inches)	0.512 inch	Length	13 mm
Length (inches)	0.512 inch	Net weight	33.5 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

General information

Cable glands	metric	External thread	M 40
Halogen	No	Head diameter	44 mm
Length of thread	8 mm	Material	Brass, nickel-plated
O-Ring	NBR	Operating temperature range, max.	100 °C
Operating temperature range, min.	-40 °C	Pitch of thread	1.5 mm
Protection degree	IP68 - 5 bar (30 min.)	Sealing	NBR

Classifications

ETIM 6.0	EC000451	ETIM 7.0	EC000451
ECLASS 9.0	27-14-44-25	ECLASS 9.1	27-14-44-33
ECLASS 10.0	27-14-44-25	ECLASS 11.0	27-14-44-25

Approvals

Approvals



ROHS Conform

Downloads

Engineering Data	STEP
Engineering Data	EPLAN, WSCAD

Data sheet

VP M40-MS65

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

