

**IE-TO-LCD-MM****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Mounting rail outlet, LC duplex junction design according to IEC 61754-20

**General ordering data**

Version	Mounting rail outlet, fibre-optic, LC Duplex, Multimode, IP20
Order No.	<a href="#">8947010000</a>
Type	IE-TO-LCD-MM
GTIN (EAN)	4032248735020
Qty.	10 pc(s).

Creation date March 29, 2021 11:51:43 PM CEST

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

**IE-TO-LCD-MM****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

Net weight 32.5 g

**Temperatures**

Operating temperature -40 °C...70 °C

**General data**

Colour	Light Grey	Connection 1	LC Duplex
Connection 2	LC Duplex	Fibre type	Multimode
Housing main material	PA UL 94 V0	Insertion loss	≤ 0.4 dB
Plugging cycles	1000	Protection degree	IP20
Type of mounting	TS 35		

**General standards**

Connector standard IEC 61754-20

**Classifications**

ETIM 6.0	EC000313	ETIM 7.0	EC000313
ECLASS 9.0	27-44-03-20	ECLASS 9.1	19-17-01-25
ECLASS 10.0	27-44-03-20	ECLASS 11.0	27-44-03-20

**Approvals**

Approvals



ROHS Conform

**Downloads**

Engineering Data	<a href="#">STEP</a>
User Documentation	<a href="#">MAN IE GUIDE DE</a> <a href="#">MAN IE GUIDE EN</a> <a href="#">Manual</a>


**IE-TO-LCD-MM**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Dimensioned drawing**



**Drawing**

