

SKMU EMV M25**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

General ordering data

Version	SKMU MS EMV (brass locknut - EMC), Locknut, M 25, 3.6 mm, Brass, nickel-plated
Order No.	1777640000
Type	SKMU EMV M25
GTIN (EAN)	4032248157914
Qty.	50 pc(s).

Creation date March 25, 2021 6:40:42 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

SKMU EMV M25

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight 10.7 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

General information

AF size 1	30 mm	Cable glands	metric
External thread	M 25	Halogen	No
Internal thread	M 25	Length of thread	3.6 mm
Material	Brass, nickel-plated	O.D.	30 mm
Pitch of thread	1.5 mm	Thickness	1 mm

Classifications

ETIM 6.0	EC000940	ETIM 7.0	EC000940
ECLASS 9.0	27-14-44-24	ECLASS 9.1	27-14-44-24
ECLASS 10.0	27-14-44-24	ECLASS 11.0	27-14-44-24

Approvals

ROHS Conform

Downloads

Engineering Data [STEP](#)
 Engineering Data [EPLAN, WSCAD](#)

Data sheet

SKMU EMV M25

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

