

H0,34/12 TK BD GSP

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



- strip of wire end ferrules on reel (5,000 pcs.)
- Weidmüller colour code

General ordering data

Version	Wire-end ferrule, insulated, 10 mm, 8 mm, Turquoise
Order No.	9004390000
Type	H0,34/12 TK BD GSP
GTIN (EAN)	4008 19088 1016
Qty.	5,000 pc(s).
Packaging	Reel

Creation date March 30, 2021 12:10:11 AM CEST

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

H0,34/12 TK BD GSP**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Net weight 0.096 g

Technical data

Description of article	Reel of wire end ferrules, turquoise	Version	insulated
------------------------	--------------------------------------	---------	-----------

Wire-end ferrules

Collar diameter (D2)	2 mm	Colour code	Weidmüller
Conductor cross-section	0.34 mm ²	Contact surface diameter (D1)	0.8 mm
Contact surface length (L2)	8 mm	L1 in mm	12 mm
Metal sleeve thickness (S1)	0.15 mm	Plastic collar thickness (S2)	0.25 mm
Stripping length	10 mm	Wire connection cross section AWG, max.	AWG 22

Classifications

ETIM 6.0	EC000005	ETIM 7.0	EC000005
ECLASS 9.0	27-40-02-01	ECLASS 9.1	27-40-02-01
ECLASS 10.0	27-40-02-01	ECLASS 11.0	27-40-02-01

Approvals

Approvals



ROHS	Conform
UL File Number Search	E499744

Downloads

Engineering Data	STEP
Engineering Data	EPLAN, WSCAD, Zuken E3.S
User Documentation	Technical information - EN Technical information - DE

Data sheet

H0,34/12 TK BD GSP

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Drawing

