

**CLI MH 110 HSTR****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



CLI M identification markers are slid onto CLI MH carrier strips and secured by means of cable ties. The system is particularly suitable for large conductor and cable cross-sections.

**Advantages:**

- Combination marker for cable and pipe markers
- One size for all diameters above 16 mm<sup>2</sup>
- Unrestricted combination options
- Closed, permanently attached markers
- Very good legibility

**General ordering data**

Version	CableLine, Accessories, 10 - 317 mm, {Reference (AttributeDefinition) not found: pAttr74196859207437}, black
Order No.	<a href="#">0189400000</a>
Type	CLI MH 110 HSTR
GTIN (EAN)	4008190144784
Qty.	100 pc(s).

Creation date March 22, 2021 8:59:37 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

## CLI MH 110 HSTR

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Dimensions and weights

Depth	3 mm	Depth (inches)	0.118 inch
Height	110 mm	Height (inches)	4.331 inch
Net weight	1.29 g	Width	11.3 mm
Width (inches)	0.445 inch		

### Temperatures

Operating temperature range	-30...100 °C
-----------------------------	--------------

### General data

Colour	black	Material	Polyamide 66
Material colour according to resistance code	0	Number of markers per combination	1 Component part = Accessories
Operating temperature range	-30...100 °C	Operating temperature range, max.	100 °C
Operating temperature range, min.	-30 °C	Recommended industries	Process, Machinery
Type of printing	neutral	UL 94 flammability rating	V-0
Version	halogen-free	Width	11.3 mm

### Conductor and cable markers

Conductor O.D.	10 - 317 mm	Conductor O.D., max.	317 mm
Conductor O.D., min.	10 mm	Conductor cross-section, max.	500 mm <sup>2</sup>
Conductor cross-section, min.	16 mm <sup>2</sup>	Cross-section for connected wire	16 - 500 mm <sup>2</sup>

### Classifications

ETIM 6.0	EC001530	ETIM 7.0	EC001530
ECLASS 9.0	27-40-04-01	ECLASS 9.1	27-40-06-29
ECLASS 10.0	27-40-04-01	ECLASS 11.0	27-28-11-02

### Approvals

ROHS	Conform
------	---------

### Downloads

Engineering Data	<a href="#">WSCAD, EPLAN</a>
------------------	------------------------------

**Data sheet**

**CLI MH 110 HSTR**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**

