


HDC MF 16B AD**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Simple**

The innovative sliding frame has two defined lock-in positions for opening and closing. This enables simple and tool-free module assembly.

General ordering data

| | |
|------------|----------------------------|
| Version | Frame |
| Order No. | 1429010000 |
| Type | HDC MF 16B AD |
| GTIN (EAN) | 4050118233315 |
| Qty. | 1 pc(s). |

Creation date March 23, 2021 10:34:10 PM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

HDC MF 16B AD

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|----------------|------------|-----------------|------------|
| Depth | 37.35 mm | Depth (inches) | 1.47 inch |
| Height | 36.4 mm | Height (inches) | 1.433 inch |
| Net weight | 84.241 g | Width | 84.5 mm |
| Width (inches) | 3.327 inch | | |

Temperatures

| | |
|-------------------|-------------------|
| Limit temperature | -40 °C ... 125 °C |
|-------------------|-------------------|

Environmental Product Compliance

| | |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

General data

| | | | |
|-----------------|--------------|-----------------|----------|
| Material | Diecast zinc | Number of slots | 4 |
| Plugging cycles | ≥ 500 | Series | ModuPlug |
| Size | 6 | | |

PE connection data

| | | | |
|-------------------------------|--------------------|---------------------------------------|---------------------|
| Conductor cross-section, max. | 10 mm ² | Conductor cross-section, min. | 0.5 mm ² |
| Connection type PE | Screw connection | Tightening torque, max. PE connection | 1.2 Nm |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC002312 | ETIM 7.0 | EC002312 |
| ECLASS 9.0 | 27-44-02-06 | ECLASS 9.1 | 27-44-02-06 |
| ECLASS 10.0 | 27-44-02-06 | ECLASS 11.0 | 27-44-02-06 |

Approvals

Approvals



| | |
|-----------------------|---------|
| ROHS | Conform |
| UL File Number Search | E92202 |

Downloads

| | |
|---|--|
| Approval/Certificate/Document of Conformity | Manufacturer's declaration |
| Engineering Data | STEP |
| Engineering Data | EPLAN |
| Product Change Notification | Product Change Notification Product Change Notification |

HDC MF 16B AD

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

