

**CTN 25 D4****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Crimping tools for non-insulated connectors**

Rolled cable lugs, tubular cable lugs, terminal pins, parallel and serial connectors

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

Version	Pressing tool, Crimping tool for contacts, 10mm <sup>2</sup> , 25mm <sup>2</sup> , Indent crimp
Order No.	<a href="#">9006220000</a>
Type	CTN 25 D4
GTIN (EAN)	4008 190198633
Qty.	1 pc(s).

Creation date March 30, 2021 12:14:29 AM CEST

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

## CTN 25 D4

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Net weight	653.78 g	Weight	730 g
Width	250 mm	Width (inches)	9.842 inch

## Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

## Technical data

Description of article	Crimping tool for non-insulated connectors, 10-25 mm <sup>2</sup>	Version	Mechanical, without interchangeable inserts
------------------------	---	---------	---

## Description of contact

Conductor cross-section, max. AWG	AWG 4	Conductor cross-section, min. AWG	AWG 8
Crimping range, max.	25 mm <sup>2</sup>	Crimping range, min.	10 mm <sup>2</sup>
Type of contact	Uninsulated connection		

## tool data crimping

Copper connector (rolled), max.	25 mm <sup>2</sup>	Copper connector (rolled), min.	10 mm <sup>2</sup>
Crimping profile 1, min.	10 mm <sup>2</sup>	Crimping profile 2, min.	16 mm <sup>2</sup>
Crimping profile 3, min.	25 mm <sup>2</sup>	Crimping type/profile	Indent crimp

## Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ECLASS 9.0	21-04-38-11	ECLASS 9.1	21-04-38-11
ECLASS 10.0	21-04-38-11	ECLASS 11.0	21-04-38-11

## Approvals

Approvals



## Downloads

User Documentation	<a href="#">Manual</a>
--------------------	------------------------

**Data sheet**

**CTN 25 D4**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

