

**VP 13,5-K54****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Similar to illustration**

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

**General ordering data**

Version	VPK (blanking plug in plastic), Blanking plug, PG 13.5, 5 mm, IP65, Polyamid 6 (PA6 - GF30)
Order No.	<a href="#">0294960000</a>
Type	VP 13,5-K54
GTIN (EAN)	4008 190152659
Qty.	100 pc(s).

Creation date March 22, 2021 9:53:26 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

## VP 13,5-K54

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Length	10 mm	Length (inches)	0.394 inch
Net weight	1.8 g		

## General information

Cable glands	PG	External thread	PG 13.5
Halogen	No	Head diameter	25 mm
Length of thread	5 mm	Material	Polyamid 6 (PA6 - GF30)
Operating temperature range, max.	100 °C	Operating temperature range, min.	-40 °C
Protection degree	IP54	Protection degree with GWDR	IP65
UL 94 flammability rating	V-2		

## Classifications

ETIM 6.0	EC000451	ETIM 7.0	EC000451
ECLASS 9.0	27-14-44-25	ECLASS 9.1	27-14-44-33
ECLASS 10.0	27-14-44-25	ECLASS 11.0	27-14-44-25

## Approvals

Approvals



ROHS

Conform

## Downloads

Engineering Data	<a href="#">STEP</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>

**Data sheet**

**VP 13,5-K54**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

