

LIF 1,5F488 R**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Insulated tab-connector sleeves made from PVC
with copper sleeve**

- Commercially available designs
- Not soldered
- With conical entry funnel

General ordering data

| | |
|------------|---|
| Version | cable lug, terminal end, Insulated cable connector, 0.5 mm ² - 1.5 mm ² |
| Order No. | 9200530000 |
| Type | LIF 1,5F488 R |
| GTIN (EAN) | 40322484 10378 |
| Qty. | 100 pc(s). |

Creation date March 30, 2021 12:51:27 AM CEST

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

Data sheet

LIF 1,5F488 R

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|----------------|------------|----------------|------------|
| Depth | 5.7 mm | Depth (inches) | 0.224 inch |
| Net weight | 0.71 g | Width | 19.2 mm |
| Width (inches) | 0.756 inch | | |

Technical data

| | | | |
|------------------------|---|--|--|
| Description of article | Insulated tab-connector sleeves 1.5 mm ² / 4.8x0.8 | | |
|------------------------|---|--|--|

Connectors

| | | | |
|-------------------------------|---------------------|----------------------------------|---------------------|
| Conductor cross-section, max. | 1.5 mm ² | Conductor cross-section, min. | 0.5 mm ² |
| Dimension | 4.8 x 0.8 mm | Dimension (flat blade connector) | 4.8 x 0.8 mm |
| Identification colour | red | Insulation | Available |
| Material/plastic | PVC | Plastic collar diameter (D) | 4 mm |
| Plastic collar length (b) | 10 mm | Plug-in density (d3) | 0.8 mm |
| Plug-in width (d2) | 4.8 mm | | |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC0005 16 | ETIM 7.0 | EC0005 16 |
| ECLASS 9.0 | 27-44-03-92 | ECLASS 9.1 | 27-40-02-90 |
| ECLASS 10.0 | 27-44-03-92 | ECLASS 11.0 | 27-44-03-92 |

Approvals

Approvals



ROHS Conform

Downloads

Engineering Data [EPLAN](#)

Data sheet

LIF 1,5F488 R

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

