

PRODUCT-DETAILS

# GSB275

## 2-PC INNER SLV CONN ORG I.D. 0.275



### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | GSB275  |
| Product ID            | 7TAI029070R0028   |
| EAN                   | 5414363113829   |
| Catalog Description   | 2-PC INNER SLV CONN ORG I.D. 0.275  |
| Long Description      | Two Piece Inner Sleeve Connector for Hexagonal Range, Length 7.9mm, Inner Diameter 6.98mm, Outer Diameter 7.77mm, Color Orange, Hard Bronze, Tin Plated |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5414363113829 |
|-----|---------------|

### Dimensions

|                    |       |
|--------------------|-------|
| Product Net Length | 0, mm |
|--------------------|-------|

### Container Information

|                         |                |
|-------------------------|----------------|
| Package Level 1 Units   | 1000 piece     |
| Package Level 1 Width   | 4 in<br>102 mm |
| Package Level 1 Height  | 3 in<br>76 mm  |
| Package Level 1 Depth / | 4 in           |

|                                |                   |
|--------------------------------|-------------------|
| Length                         | 102 mm            |
| Package Level 2 Units          | 10000 piece       |
| Package Level 2 Width          | 8.5 in<br>216 mm  |
| Package Level 2 Height         | 3.5 in<br>89 mm   |
| Package Level 2 Depth / Length | 21.5 in<br>546 mm |

---

### Additional Information

|                     |   |
|---------------------|---|
| Brand / Label       | Sta-Kon   |
| Color               | Orange  |
| Effective Date      | 19680516  |
| Material            | Hard Bronze   |
| Number of Batteries | 0   |
| Product Name        | STA-KON AND CATAMOUNT TERMINAL  |
| Product Type        | Two-Piece Inner Sleeve Connector  |
| Special Functions   | Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications. |
| UPC                 | 786210813226  |

---

### Certificates and Declarations (Document Number)

|                                   |        |
|-----------------------------------|--------|
| Data Sheet, Technical Information | GSB275 |
| Instructions and Manuals          | GSB275 |

---

### Classifications

|                                    |  |
|------------------------------------|--|
| ETIM 6                             | EC002650 - Connection for screened wires |
| ETIM 7                             | EC002650 - Connection for screened wires |
| UNSPSC                             | 39121432                                 |
| WEEE Category                      | Product Not in WEEE Scope                |
| IDEA Granular Category Code (IGCC) | 4603 >> Electrical terminals             |

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

