

PRODUCT-DETAILS

# GSB275

## 2-PC INNER SLV CONN ORG I.D. 0.275



### General Information

Extended Product Type	GSB275
Product ID	7TAI029070R0028
EAN	5414363113829
Catalog Description	2-PC INNER SLV CONN ORG I.D. 0.275
Long Description	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 7.9mm, Inner Diameter 6.98mm, Outer Diameter 7.77mm, Color Orange, Hard Bronze, Tin Plated

### Ordering

EAN	5414363113829
-----	---------------

### Dimensions

Product Net Length	0, mm
--------------------	-------

### Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4 in 102 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth /	4 in

Length	102 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	8.5 in 216 mm
Package Level 2 Height	3.5 in 89 mm
Package Level 2 Depth / Length	21.5 in 546 mm

---

### Additional Information

Brand / Label	Sta-Kon
Color	Orange
Effective Date	19680516
Material	Hard Bronze
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210813226

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSB275
Instructions and Manuals	GSB275

---

### Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

