

PRODUCT-DETAILS

# ZLS905E78-3LNLALB

## ZLS905E78-3LNLALB



### General Information

Extended Product Type	ZLS905E78-3LNLALB
Product ID	2CCA183221R0001
EAN	7612271417482
Catalog Description	ZLS905E78-3LNLALB
Long Description	Starter pack Touch proof with 78 Modules L1,L2,L3 N LA,LB Pluggable socket system SMISLINE TP is completely fingersafe (IP2XB) together with the socket end piece

### Ordering

E-Number (Switzerland)	809997890
EAN	7612271417482
Minimum Order Quantity	1 piece
Customs Tariff Number	85389030

### Dimensions

Product Net Width	111 mm
Product Net Height	1446 mm
Product Net Depth / Length	34 mm
Product Net Weight	2745 g

---

**Container Information**


---

Package Level 1 Units	carton 1 piece
Package Level 1 Width	132 mm
Package Level 1 Height	67 mm
Package Level 1 Depth / Length	1449 mm
Package Level 1 Gross Weight	3056 g
Package Level 1 EAN	7612271417482

---



---

**Environmental**


---

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

---



---

**Additional Information**


---

Product Main Type	ZLS-3LNLALB
Product Name	Starter pack Touch proof
Rated Current (I <sub>n</sub> )	125 A
Rated Operational Voltage	690 V AC 1000 V DC
RoHS Date	20170426
Standards	IEC/EN 61439-6

---



---

**Certificates and Declarations (Document Number)**


---

Data Sheet, Technical Information	9AKK107492A6192
Declaration of Conformity - CE	9AKK107991A9646
Environmental Information	2CCY451206D0201
Instructions and Manuals	9AKK107680A2315
RoHS Information	9AKK107991A9646
Dimension Diagram	9AKK107492A6192

---



---

**Classifications**


---

ETIM 4	EC001522 - Busbar
ETIM 5	EC001522 - Busbar
ETIM 6	EC001522 - Busbar
ETIM 7	EC001522 - Busbar
Object Classification Code	W
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

**Categories**


---

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems Accessories

