

PRODUCT-DETAILS

22L008

INSUL PRC WIRE SPLICE CU 18-14 AWG



General Information

Extended Product Type	22L008
Product ID	7TAI029010R0015
EAN	5414363112037
Catalog Description	INSUL PRC WIRE SPLICE CU 18-14 AWG
Long Description	Insulation Piercing Magnet Wire Splice, Length .70 Inches, Width .50 Inches, Height .35 Inches, Wire Range #18 AWG - #14 AWG 12,960 Circular Mil Area - 30,550 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363112037
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	3.2 in 81 mm
Package Level 1 Height	3.2 in 81 mm

Package Level 1 Depth / Length	3.7 in 94 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	6.9 in 175 mm
Package Level 2 Height	4.3 in 109 mm
Package Level 2 Depth / Length	16.4 in 417 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19810330
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Splice
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210066554

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	22L008
Instructions and Manuals	22L008

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

