


PRODUCT-DETAILS

6855 AGM-35-500

6855 AGM-35-500 Busch-Watchdog 110 MasterLINE



Ogólne informacje

Extended Product Type	6855 AGM-35-500
ID Produktu	2CKA006800A2613
Numer EAN	4011395163252
Opis katalogowy	6855 AGM-35-500 Busch-Watchdog 110 MasterLINE

Opis	<p>Electronic movement detector for detecting thermal motion. Remote operation via IR remote control 6841-101. Remote configurable via IR service remote control 6842-101. With display for detection and operation mode. With ground surveillance. With high-quality lens for optimum detection. Detection sensitivity adjustable via IR service remote control.</p> <p>Adjustment of detection range via rotary control element. Surveillance density: 25 sectors with 100 switching segments. With integrated dismantling protection. All functions controlled by microprocessor. Continuous light (4 hours), light deactivation (4 hours) and presence simulation can be activated via IR remote control. Reading in the current brightness value as switching threshold via remote control. With automatic range stabilization. With automatic interference suppression. With automatic dazzle-proofing. With brightness-independent test mode for evaluating the detection zone. Individual adjustment of detection range via enclosed protective foil which can be cut to size. Additional possibility for switch-on via normally open push-button switch. Switch-off delay: 10 sec to 30 min or short-time pulse 1 sec adjustable.</p>
------	--

Charakterystyka zamówienia

E-Number (Sweden)	1300097
Numer EAN	4011395163252
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85365080

Wymiary

Szerokość produktu netto	0.125 m
Wysokość produktu netto	0.1 m
Głębokość produktu netto	0.033 m
Waga produktu netto	0.34 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
Szerokość opakowania (poziom 1)	0.138 m
Wysokość opakowania (poziom 1)	0.066 m
Długość opakowania (poziom 1)	0.163 m
Waga opakowania brutto (poziom 1)	340 g
EAN opakowania (poziom 1)	4011395163252

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Napięcie pomocnicze AC/DC	230 V AC/DC
Brand / Label	ABB
Kolor	anthracite
Zakres prądowy	Maximum 80 A
Stopień ochrony obudowy	IP55
Częstotliwość (f)	50...60 Hz
Illuminance	3...150 lx
Materiał	Material quality: Thermoplastic Material: Plastic
Rodzaj montażu	Surface Mounted
Number of Outputs	1
Typ produktu	Busch-Watchdog 110 MasterLINE
Nazwa produktu	Busch-Watchdog 110 MasterLINE
Product Range	Movement detector
Napięcie znamionowe (U _r)	230 V
ID produktu zastąpionego	6800-0-2613
Data RoHS	20160628
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA100000E2067
Instrukcje i podręczniki	DEBJE-0073-1-8049
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000133 - Movement sensor complete
ETIM 6	EC000133 - Movement sensor complete
ETIM 7	EC000133 - Movement sensor complete
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → StandAlone Electronics → Outdoor Movement Detector → MasterLINE Series → Flat Devices → Watchdog 110 MasterLINE

