

PRODUCT-DETAILS

WB75-A 220-230V 50Hz / 220-255V 60Hz / 220-230V DC

WB75-A 220-230V 50Hz / 220-255V 60Hz / 220-230V DC Mechanical Latching Unit



General Information

Extended Product Type	WB75-A 220-230V 50Hz / 220-255V 60Hz / 220-230V DC
Product ID	FPTN372726R1006
EAN	3471522121967
Catalog Description	WB75-A 220-230V 50Hz / 220-255V 60Hz / 220-230V DC Mechanical Latching Unit
Long Description	WB75-A 220-230V 50Hz / 220-255V 60Hz / 220-230V DC Mechanical Latching Unit

Ordering

EAN	3471522121967
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	45 mm
Product Net Height	81 mm
Product Net Depth / Length	39 mm
Product Net Weight	0.12 kg

Container Information

Package Level 1 Units	box 1 piece
-----------------------	-------------

Package Level 1 Width	45 mm
Package Level 1 Height	40 mm
Package Level 1 Depth / Length	80 mm
Package Level 1 Gross Weight	0.12 kg
Package Level 1 EAN	3471522121967
Package Level 2 Units	box 90 piece
Package Level 2 Width	245 mm
Package Level 2 Height	153 mm
Package Level 2 Depth / Length	75 mm
Package Level 2 Gross Weight	10.8 kg

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Additional Information

Coil Consumption	Average Holding Value 50 / 60 Hz 60 V-A Average Pull-in Value 50 Hz 90 V-A Average Pull-in Value 60 Hz 90 V-A
Connecting Capacity	Flexible with Cable End 0.75 ... 2.5 mm ² Rigid Cable 1 ... 4 mm ²
Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Coil Terminals IP20
Mechanical Durability	1 million
Order Multiple	1 piece
Product Main Type	Accessories for Block Contactors
Product Name	Mechanical Latching Unit
Rated Control Circuit Voltage (U _c)	50 Hz 220 ... 230 V 60 Hz 220 ... 255 V DC Operation 220 ... 230 V
RoHS Date	20171115
Suitable For	AX06 AX09 AX12 AX18 AX25 AX32 AX40 AX50 AX65 AX80
Technical Information	Mechanical Interlocking WB75-A /WB75-A220-255V 60Hz
Terminal Type	Screw Terminals

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SBC100122C0202_Ch04
Declaration of Conformity - CE	1SBD250813U1000
Environmental Information	1SBD250197E1000
GOST Certificate	GOST_POCCFRME77B07175
RINA Certificate	RINA_ELE172319XG001
RoHS Information	1SBD250813U1000
UL Certificate	UL_071301E48139

Classifications		
ETIM 4	EC002498 - Accessories for low-voltage switch technology	
ETIM 5	EC002498 - Accessories for low-voltage switch technology	
ETIM 6	EC002498 - Accessories for low-voltage switch technology	
ETIM 7	EC002498 - Accessories for low-voltage switch technology	
UNSPSC		39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories

