

PRODUCT-DETAILS

P9MMB2A

JOYSTICK P9MMB2A



General Information

Extended Product Type	P9MMB2A
Product ID	1SFA184712R9006
EAN	7320500522653
Catalog Description	JOYSTICK P9MMB2A
Long Description	JOYSTICK 2-POSITION WITH LATCHING FUNCTION BLACK RUBBER MAINTAINED/MOMENTARY

Ordering

E-Number (Finland)	2314784
EAN	7320500522653
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501990

Dimensions

Product Net Width	29.7 mm
Product Net Height	44.5 mm
Product Net Depth / Length	98.6 mm
Product Net Weight	0.09 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	41 mm
Package Level 1 Height	41 mm
Package Level 1 Depth / Length	113 mm
Package Level 1 Gross Weight	0.09 kg
Package Level 1 EAN	7320500518649

Environmental

Ambient Air Temperature	Operation -30 ... +70 °C Storage -40 ... +70 °C
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information

Actuator Type	Joystick with latching function
Bezel Material	Metal
Color	Black
Degree of Protection	Front IP66
Function	Maintained/Momentary
Illumination	Non-illuminated
Maintained Positions	D, B
Mechanical Durability	0.5 million
Product Main Type	P9MM
Product Name	Joystick
Spring Return From	A to B
Sub-Function	2-position

Certificates and Declarations (Document Number)

BV Certificate	2CMT2019-005867
CB Certificate	2CMT2019-005872
CSA Certificate	2CMT2019-005868
Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2019-005862
DNV GL Certificate	2CMT2019-005876
Instructions and Manuals	1SFC151011M0201
RINA Certificate	2CMT2019-005866
RoHS Information	2CMT2019-005862
UL Certificate	2CMT2019-005868

Classifications

ETIM 7	EC000632 - Control switch, Joystick
UNSPSC	39122227
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27371404

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M

