

PRODUCT-DETAILS

TY46MDX

CABLE TIE 50LB 7 UV BLK ID 1.17X1



General Information

Extended Product Type	TY46MDX
Product ID	7TAG009510R0030
EAN	5414363064978
Catalog Description	CABLE TIE 50LB 7 UV BLK ID 1.17X1
Long Description	Identification Cable Tie - Double Strap Configuration, Natural Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 185mm (7.3 Inches), Width of 4.8mm (0.19 Inches), Thickness of 1.3mm (0.05 Inches), Tensile Strength Rating of 220 Newtons (49 Pounds), Marking Pad Size of 30.5mm (1.2Inches) x 28mm (1.1 Inches)

Ordering

EAN	5414363064978
-----	---------------

Dimensions

Product Net Width	0.19 in 4.81 mm
Product Net Length	0, mm
Product Net Depth / Length	7.25 in 184.15 mm

Container Information

Package Level 1 Units	500 piece
Package Level 2 Units	1000 piece
Package Level 2 Width	10.5 in 267 mm
Package Level 2 Height	8.1 in 206 mm
Package Level 2 Depth / Length	12.8 in 325 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	1 to 1.75 in 25.4 to 44.4 mm
Color	Black
Effective Date	19921117
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Identification
Tensile Strength	49 lb 220 N
Thickness	0.05 in 1.3 mm
UPC	786210899565

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000576
Instructions and Manuals	TY46MDX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5040 >> I.D. Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

