

PRODUCT-DETAILS

A28

A28 Wall Cabinet 2PW8R PC2 IP44



General Information

| | |
|-----------------------|---|
| Extended Product Type | A28 |
| Product ID | 2CPX052036R9999 |
| EAN | 4011617520368 |
| Catalog Description | A28 Wall Cabinet 2PW8R PC2 IP44 |
| Long Description | Wall-mounting cabinet, empty cabinet, for the internal use, with Door, class of protection II (double insulated), degree of protection IP44, rated current 250 A, powder-coated, in RAL 9016, enclosure out of sheet steel, metal door , door out of sheet steel, door opening angle 120 degree, cable entry on top via membrane flange mounted, on side via flange opening pre-punched, dimensions in mm (H x W x D): 1250 x 550 x 215, Grid unit 8 GU, panel width 2, Space units 192, pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module on EDF-mounting frame |

Ordering

| | |
|------------------------|---------------|
| EAN | 4011617520368 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85381000 |

Dimensions

| | |
|----------------------------|---------|
| Product Net Width | 550 mm |
| Product Net Height | 1250 mm |
| Product Net Depth / Length | 215 mm |

| | |
|--------------------|-----------|
| Product Net Weight | 19.425 kg |
|--------------------|-----------|

Container Information

| | |
|--------------------------------|-----------------------|
| Package Level 1 Units | pack 1 piece |
| Package Level 1 Width | 600.000 mm |
| Package Level 1 Height | 1310.000 mm |
| Package Level 1 Depth / Length | 233.000 mm |
| Package Level 1 Gross Weight | 20.202 kg |
| Package Level 1 EAN | 4011617520368 |
| Package Level 2 Units | pallet (lift) 7 piece |
| Package Level 2 Width | 825.000 mm |
| Package Level 2 Height | 1480.000 mm |
| Package Level 2 Depth / Length | 1200.000 mm |
| Package Level 2 Gross Weight | 155.975 kg |

Additional Information

| | |
|-------------------------|--|
| Color | traffic white |
| Configuration Type | pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module on EDF-mounting frame |
| Cover Plate Type | Door |
| Degree of Protection | IP44 |
| DIN Place Units | 192 |
| Enclosure Type | Wall-mounting cabinet |
| Field Width | 2 |
| Housing Material | Steel plate/plastic |
| Interior Depth | 190 mm |
| Mounting Type | Surface mounted/recessed mounted/partially recessed mounted |
| Number of Rows | 8 |
| Power Loss | $\Delta t = 20K$ 68 W $\Delta t = 25K$ 89.8 W $\Delta t = 30K$ 112.7 W |
| Product Main Type | ComfortLine A |
| Product Name | A28 Wall Cabinet 2PW8R PC2 IP44 |
| Protection Class | Isolated |
| Rated Current (I_n) | 250 A |
| Surface Finishing | Powder coating |

Certificates and Declarations (Document Number)

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 9AKK107680A4773 |
| Instructions and Manuals | 2CPC133150M5601 |

Classifications

| | |
|----------------------------|--------------------------|
| ETIM 6 | EC000058 - Empty cabinet |
| ETIM 7 | EC000058 - Empty cabinet |
| Object Classification Code | U |

WEEE Category

Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Meter Boards → ComfortLine A

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → ComfortLine A

