

PRODUCT-DETAILS

TY23MX-A

CABLE TIE 18LB 4IN BLK NYL HT STBL



General Information

Extended Product Type	TY23MX-A
Product ID	7TAG009640R0000
EAN	5414363061854
Catalog Description	CABLE TIE 18LB 4IN BLK NYL HT STBL
Long Description	Cable Tie, Heat Stabilized, Ultraviolet Resistant Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F) for Indoor or Outdoor Applications, Length of 91.95mm (3.62 Inches), Width of 2.34mm (0.092 Inch), Thickness of 0.91mm (0.036 Inch), Tensile Strength Rating of 80 Newtons (18 Pounds)

Ordering

EAN	5414363061854
-----	---------------

Dimensions

Product Net Width	0,092 in 2.34 mm
Product Net Length	0, mm
Product Net Depth / Length	3.62 in 91.95 mm

Container Information

Package Level 1 Units	1000 piece
-----------------------	------------

Package Level 1 Width	4.4 in 112 mm
Package Level 1 Height	6.2 in 157 mm
Package Level 1 Depth / Length	8.5 in 216 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	10 in 254 mm
Package Level 2 Height	9.3 in 236 mm
Package Level 2 Depth / Length	10.3 in 262 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 0.63 in 2 to 16 mm
Color	Black
Effective Date	20020129
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Heat-Stabilized
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.036 in 0391 mm
UPC	786210816418

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY23MX-A
Instructions and Manuals	TY23MX-A

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

