

PRODUCT-DETAILS

22L009

INSUL PRC WIRE SPLICE CU 16-5 AWG



General Information

Extended Product Type	22L009
Product ID	7TAI029010R0016
EAN	5414363112044
Catalog Description	INSUL PRC WIRE SPLICE CU 16-5 AWG
Long Description	Insulation Piercing Magnet Wire Splice, Length .32 Inches, Width .55 Inches, Height .46 Inches, Wire Range #16 AWG - #5 AWG 36,120 Circular Mil Area - 86,000 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363112044
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	4 in 102 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	4 in 102 mm
Package Level 2 Units	500 piece
Package Level 2 Width	8.8 in 224 mm
Package Level 2 Height	6.9 in 175 mm
Package Level 2 Depth / Length	10.5 in 267 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19800926
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL SPLICE
Product Type	Splice
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210816135

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	22L009
Instructions and Manuals	22L009

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

